

Coastal Resources Atlas: Long Island: HYDRO (Hydrography Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification Information:

Citation:

Citation Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication Date: 200903

Title:

Coastal Resources Atlas: Long Island: HYDRO (Hydrography Lines and Polygons)

Edition: First

Geospatial Data Presentation Form: Vector digital data

Series Information:

Series Name: NONE

Issue Identification: Long Island, New York

Publication Information:

Publication Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other Citation Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains vector lines and polygons representing coastal hydrography used in the creation of the Environmental Sensitivity Index (ESI) for Long Island, New York. The HYDRO data layer contains all annotation used in producing the atlas. The annotation features are categorized into two subclasses in order to simplify the mapping and quality control procedures: SOC, for socioeconomic features, and HYDRO, for water features.

This data set comprises a portion of the ESI data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and

human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1981

Ending_Date: 2007

Currentness_Reference:

The data were compiled during 2007-2009. The currentness dates for the data range from 1981 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Hydrography

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

*Data_Quality_Information:**Attribute_Accuracy:**Attribute_Accuracy_Report:*

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent linear and polygonal hydrography for Long Island.

*Positional_Accuracy:**Horizontal_Positional_Accuracy:**Horizontal_Positional_Accuracy_Report:*

The HYDRO data set was developed from pre-existing digital data and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

*Lineage:**Source_Information:**Source_Citation:**Citation_Information:*

Originator: NOAA

Publication_Date: 2001

Title:

RHODE ISLAND, CONNECTICUT AND NEW YORK - NEW JERSEY
ENVIRONMENTAL SENSITIVITY INDEX ATLAS

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:

NATIONAL OCEAN SERVICE HAZARDOUS MATERIAL RESPONSE
DIVISION, 7600 SAND POINT WAY, SEATTLE, WA 98115-6349

Source_Scale_Denominator: 24,000

Type_of_Source_Media: CD-ROM

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NOAA, NOS, NATIONAL GEODETIC SURVEY (NGS)
Publication_Date: 20070810
Title:
 SHORELINE MAPPING PROGRAM OF SOUTH SHORE OF LONG ISLAND
 SOUND, NY
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
[HTTP://WWW.NGS.NOAA.GOV/NEWSYS_IMS/SHORELINE/INDEX.CFM](http://www.ngs.noaa.gov/newsys_ims/shoreline/index.cfm)
 (Contact the site webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 20041028
Ending_Date: 20050321
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING, INC.
Publication_Date: 2007
Title: INDEX GRID
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: 24,000
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING, INC.
Publication_Date: 20070831
Title: OVERFLIGHT OBLIQUES
Geospatial_Data_Presentation_Form: PHOTOGRAPH
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: VARIES
Type_of_Source_Media: DIGITAL PHOTO
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 20070827
Ending_Date: 20070831

Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. FISH & WILDLIFE SERVICE (USFWS)
Publication_Date: 2004
Title: NATIONAL WETLANDS INVENTORY
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: USFWS, DIVISION OF HABITAT AND RESOURCE CONSERVATION
Source_Scale_Denominator: 24,000
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 1981
Ending_Date: 2003
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: USGS
Publication_Date: VARIES
Title: DIGITAL RASTER GRAPHICS
Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA
Other_Citation_Details: DENVER, CO. OR RESTON, VA.
Source_Scale_Denominator: 24,000
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: VARIES
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: VARIOUS IMAGERY PROVIDERS FOR GOOGLE EARTH
Publication_Date: 200404
Title: IMAGERY FROM GOOGLE EARTH
Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA
Other_Citation_Details: GOOGLE EARTH
Source_Scale_Denominator: VARIES
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2004
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HYDRO INFORMATION
Process_Step:
Process_Description:

The shoreline was derived from digital coastline data originating from the U.S. Geological Survey (USGS) National Wetlands Inventory and NOAA's Shoreline Mapping Program of the south shore of Long Island Sound, NY. Minor gaps in this data set were digitized from USGS digital raster graphics (DRGs) and Google Earth satellite photography. In some cases, gross shoreline changes were digitized by Research Planning, Inc. when discerned through ESI classification overflight photography. Shoreline from the NOAA ESI atlas for Rhode Island, Connecticut & New York-New Jersey Metropolitan Area was used for areas outside of Long Island. The above digital and/or hardcopy sources were compiled to create the HYDRO data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) hardcopy maps are digitized at their source scale; 2) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources; and/or 3) overflight changes are digitized from the scanned and registered hardcopy field maps or aerial photography. After the initial shoreline classification, these data are edgematched and checked for logical consistency errors. Review maps are plotted at 1:24,000 scale for verification of polygonal and linear attributes. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, interviews are conducted to review the maps. If necessary, edits to the HYDRO data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 4984

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 4983

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 17903

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 393204

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Label Point

Point_and_Vector_Object_Count: 132

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 17903

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, HYDRO) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes relationships between attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.AAT

Entity_Type_Definition:

The HYDRO.AAT table contains attribute information for the vector lines representing linear hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Spatial data source for the data layer lines that link to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: HYDRO.PAT

Entity_Type_Definition:

The HYDRO.PAT table contains attribute information for the vector polygons representing polygonal hydrography features in the HYDRO data layer.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE

Attribute_Definition: Specifies a polygon as either water or land.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: L

Enumerated_Domain_Value_Definition: Land

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: W

Enumerated_Domain_Value_Definition: Water

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.HYDRO

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for water features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ANNO.SOC

Entity_Type_Definition:

The spatial data layer HYDRO contains label points representing annotation for socioeconomic features.

Entity_Type_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR
Attribute_Definition: Author or developer of source material or data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB
Attribute_Definition:
 Date of source material, publication, or date of personal communication with expert source.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: YYYYMM
Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE
Attribute_Definition: Title of source material or data.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT
Attribute_Definition: The format of the source material.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION
Attribute_Definition: Additional citation information.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE
Attribute_Definition: Description of the source scale.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD
Attribute_Definition:
 Date(s) of data collection that the source material is based upon.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Coastal Resources Atlas: Long Island: ESI (Environmental Sensitivity Index Shoreline Types - Lines and Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: ESI (Environmental Sensitivity Index Shoreline Types - Lines and Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains vector lines and polygons representing the shoreline and coastal habitats of Long Island, New York, classified according to the Environmental Sensitivity Index (ESI) classification system. This data set comprises a portion of the ESI data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological

resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1981

Ending_Date: 2007

Currentness_Reference:

The data were compiled during 2007-2009. The currentness dates for the data range from 1981 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Shoreline habitats

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and

Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent coastal shorelines and habitats classified according to the Environmental Sensitivity Index (ESI) classification system.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

The spatial location of the ESI shoreline was developed from pre-existing digital sources and reflects the positional accuracy of these original data. The horizontal positional accuracy of the 1:24,000 USGS topographic quads should conform to National Map Accuracy Standards at scales of 1:24,000. The minimum mapping unit (MMU) of the actual shoreline classification segments is estimated at 50 meters where mapping is conducted using 1:24,000 hardcopy fieldmaps. Field verification has shown that the absolute positional accuracy of breaks between shoreline ESI types with a 95-percent error bound is approximately 58 meters. See the Lineage and Process_Description sections for more information on the original data sources used in this atlas and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: NOAA, NOS, NATIONAL GEODETIC SURVEY (NGS)

Publication_Date: 20070810

Title:

SHORELINE MAPPING PROGRAM OF SOUTH SHORE OF LONG ISLAND SOUND, NY

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details:
 HTTP://WWW.NGS.NOAA.GOV/NEWSYS_IMS/SHORELINE/INDEX.CFM
 (Contact the site webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 20041028
Ending_Date: 20050321
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: ESI INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING, INC.
Publication_Date: 2007
Title: INDEX GRID
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: 24,000
Type_of_Source_Media: DISC
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: ESI INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: RESEARCH PLANNING, INC.
Publication_Date: 20070831
Title: OVERFLIGHT OBLIQUES
Geospatial_Data_Presentation_Form: PHOTOGRAPH
Other_Citation_Details: UNPUBLISHED
Source_Scale_Denominator: VARIES
Type_of_Source_Media: DIGITAL PHOTO
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 20070827
Ending_Date: 20070831
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: ESI INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: U.S. FISH & WILDLIFE SERVICE (USFWS)
Publication_Date: 2004
Title: NATIONAL WETLANDS INVENTORY
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: USFWS, DIVISION OF HABITAT AND RESOURCE
 CONSERVATION
Source_Scale_Denominator: 24,000
Type_of_Source_Media: ONLINE

*Source_Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:**Beginning_Date:* 1981*Ending_Date:* 2003*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* ESI INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* U.S. GEOLOGICAL SURVEY (USGS)*Publication_Date:* VARIES*Title:* DIGITAL RASTER GRAPHICS*Geospatial_Data_Presentation_Form:* RASTER DIGITAL DATA*Other_Citation_Details:* DENVER, CO. OR RESTON, VA.*Source_Scale_Denominator:* 24,000*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* VARIES*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* ESI INFORMATION*Source_Information:**Source_Citation:**Citation_Information:**Originator:* VARIOUS IMAGERY PROVIDERS FOR GOOGLE EARTH*Publication_Date:* 200404*Title:* IMAGERY FROM GOOGLE EARTH*Geospatial_Data_Presentation_Form:* RASTER DIGITAL DATA*Other_Citation_Details:* GOOGLE EARTH*Source_Scale_Denominator:* VARIES*Type_of_Source_Media:* ONLINE*Source_Time_Period_of_Content:**Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2004*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* ESI INFORMATION*Process_Step:**Process_Description:*

Overflights of the Long Island shoreline occurred between August 27 and August 31 of 2007. Flights were conducted using fixed-wing aircraft flying at slow air speeds at altitudes of 400-600 feet. All flights were scheduled to maximize optimal low tide conditions, flying approximately 2.5 hours preceding and 2.5 hours following peak low tides. During these flights, a geomorphologist utilized a digital SLR camera to capture a continuous set of overlapping oblique images of the intertidal zone. Throughout the overflight mission, a Global Positioning System (GPS) receiver collected and recorded flight path data. Following completion of the overflight mission, all digital photographs of the intertidal zone were georeferenced using photo-mapping software and the GPS flight path data. With Geographic Information System (GIS) software, a geomorphologist reviewed each georeferenced oblique image of the intertidal zone and assigned ESI rankings to the digital shoreline. Where appropriate, multiple rankings were assigned.

The above digital and/or hardcopy sources were compiled to create the ESI data layer.

Depending on the type of source data, four general approaches are used for compiling the data

layer: 1) hardcopy maps are digitized at their source scale; 2) digital data layers are evaluated and used "as is" or integrated with the other data sources; 3) overflight classifications are digitized from the scanned and registered hardcopy field maps; and/or 4) classifications are interpreted from oblique GPS-referenced photography or video taken during overflights. After the initial shoreline classification, these data are edgematched and checked for logical consistency errors. Review maps are plotted at 1:24,000 scale for verification of polygonal and linear attributes. (See the Lineage section for additional information on the type of source data for this data layer.) The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, interviews are conducted to review the maps. If necessary, edits to the ESI data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 6200

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 6199

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 20048

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 490219

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 17793

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, one relational attribute or data table, SOURCES, is used to store the source data information in the ESI data structure. The geographic data layer containing resource information (in this case, ESI) is linked to the SOURCES table using the SOURCE_ID. The entity-relationship diagram describes the relationships between the attribute tables in the ESI data structure.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.AAT

Entity_Type_Definition:

The ESI.AAT table contains attribute information for the vector lines representing linear shoreline features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition:

The item ESI contains values representing the ESI shoreline type. In many cases shorelines are ranked with multiple codes, such as "6B/3A" (listed landward to seaward from left to right). The first code, "6B", is the most landward shoreline type and the second code, "3A", is the shoreline type closest to the water. Singular shoreline types are listed below. No multiple codes are listed, but all multiple codes included in the data set can be assembled from the codes described. The ESI rankings progress from low to high susceptibility to oil spills. To determine the sensitivity of a particular intertidal shoreline habitat, the following factors are integrated: 1) Shoreline type (substrate, grain size, tidal elevation, origin); 2) Exposure to wave and tidal energy; 3) Biological productivity and sensitivity; 4) Ease of cleanup. Prediction of the behavior and persistence of oil in intertidal habitats is based on an understanding of the dynamics of the coastal environments, not just the substrate type and grain size. The intensity of energy expended upon a shoreline by wave action, tidal currents, and river currents directly affects the persistence of stranded oil. The need for shoreline cleanup activities is determined, in part, by the slowness of natural processes in removal of oil stranded on the shoreline. The potential for biological injury, and ease of cleanup of spilled oil, are also important factors in the ESI ranking. Generally speaking, areas exposed to high levels of physical energy, such as wave action and tidal currents, and low biological activity rank low on the scale, whereas sheltered areas with associated high biological activity have the highest ranking.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 1B

Enumerated_Domain_Value_Definition: Exposed, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 2A

Enumerated_Domain_Value_Definition: Exposed Wave-cut Platforms in Mud

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 2B

Enumerated_Domain_Value_Definition: Exposed Scarps and Steep Slopes in Mud

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 3A

Enumerated_Domain_Value_Definition: Fine- to Medium-grained Sand Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 3B

Enumerated_Domain_Value_Definition: Scarps and Steep Slopes in Sand

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 4

Enumerated_Domain_Value_Definition: Coarse-grained Sand Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 5

Enumerated_Domain_Value_Definition: Mixed Sand and Gravel Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6A

Enumerated_Domain_Value_Definition: Gravel Beaches

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 6B

Enumerated_Domain_Value_Definition: Riprap

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8B

Enumerated_Domain_Value_Definition: Sheltered, Solid Man-made Structures

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 8C

Enumerated_Domain_Value_Definition: Sheltered Riprap

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9B

Enumerated_Domain_Value_Definition: Vegetated Low Banks

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10A

Enumerated_Domain_Value_Definition: Salt- and Brackish-water marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10B

Enumerated_Domain_Value_Definition: Freshwater Marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10C

Enumerated_Domain_Value_Definition: Swamps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10D

Enumerated_Domain_Value_Definition: Scrub-shrub Wetlands

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: LINE

Attribute_Definition: Type of geographic feature.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Breakwater

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: F

Enumerated_Domain_Value_Definition: Flat

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: H

Enumerated_Domain_Value_Definition: Hydrography

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: I

Enumerated_Domain_Value_Definition: Index

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M

Enumerated_Domain_Value_Definition: Marsh

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: S

Enumerated_Domain_Value_Definition: Shoreline

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Spatial data source for the data layer lines that link to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ENVIR

Attribute_Definition: Type of regional environment.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Estuarine

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: U

Enumerated_Domain_Value_Definition: Unranked

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: ESI.PAT

Entity_Type_Definition:

The ESI.PAT table contains attribute information for the vector polygons representing polygonal features with ESI classification.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ESI

Attribute_Definition: The item ESI contains values representing the ESI polygon type.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 7

Enumerated_Domain_Value_Definition: Exposed Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 9A

Enumerated_Domain_Value_Definition: Sheltered Tidal Flats

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10A

Enumerated_Domain_Value_Definition: Salt- and Brackish-water marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10B

Enumerated_Domain_Value_Definition: Freshwater Marshes

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 10C

Enumerated_Domain_Value_Definition: Swamps

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: 10D
Enumerated_Domain_Value_Definition: Scrub-shrub Wetlands
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: WATER_CODE
Attribute_Definition: Specifies a polygon as either water or land.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: L
Enumerated_Domain_Value_Definition: Land
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: W
Enumerated_Domain_Value_Definition: Water
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ENVIR
Attribute_Definition: Type of regional environment.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Estuarine
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: U
Enumerated_Domain_Value_Definition: Unranked
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES
Entity_Type_Definition:
 The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID
Attribute_Definition:
 Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR
Attribute_Definition: Author or developer of source material or data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration, no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Thu May 28 14:14:46 2009

Coastal Resources Atlas: Long Island: INDEX (Index Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title: Coastal Resources Atlas: Long Island: INDEX (Index Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains vector polygons representing the boundaries of all hardcopy cartographic products and other map and digital data boundaries used in the creation

of the Environmental Sensitivity Index (ESI) for Long Island, New York. This data set comprises a portion of the ESI data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Currentness_Reference:

The data were compiled during 2007-2009. The currentness date for the data is 2007 and is documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the

originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent the boundaries of all hardcopy cartographic products as part of the Environmental Sensitivity Index (ESI) for Long Island.

Positional_Accuracy:

*Horizontal_Positional_Accuracy:**Horizontal_Positional_Accuracy_Report:*

The index polygons in this data layer were generated in ArcInfo from the coordinates of the USGS 1:24,000 topographic map corners. Some small amount of positional error may be present along the arcs forming the boundaries of these polygons, particularly away from the polygon corners. Some boundaries were developed from pre-existing digital and hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original source data and how these data were integrated or manipulated to create the final data set.

*Lineage:**Source_Information:**Source_Citation:**Citation_Information:*

Originator: RESEARCH PLANNING, INC.

Publication_Date: 2007

Title: INDEX GRID

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24,000

Type_of_Source_Media: DISC

Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:*

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INDEX INFORMATION

*Process_Step:**Process_Description:*

Primarily, 1:24,000 U.S Geological Survey (USGS) topographic maps were used to provide boundaries for cartographic products. In some cases, the polygons represent USGS topographic maps that were re-tiled, moved, or extended to provide better cartographic coverage of the study area.

Process_Date: 200903

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of chains*Point_and_Vector_Object_Count:* 56*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 55*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 163*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 2442*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 109

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Detailed_Description:**Entity_Type:**Entity_Type_Label:* INDEX.PAT*Entity_Type_Definition:*

The INDEX.PAT table contains attribute information for the vector polygons representing the boundaries of the maps and digital data boundaries used in the creation of the ESI.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* TILE-NAME*Attribute_Definition:*

The TILE-NAME contains the map number according to the specified layout of the atlas.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 44

Attribute:

Attribute_Label: TOPO-NAME

Attribute_Definition:

USGS Topographic map name, short description of location, or atlas name.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition:

SCALE contains the value of the denominator of the scale at which the map is plotted in the final map product.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: MAPANGLE

Attribute_Definition:

MAPANGLE contains the value to rotate the final map product so that it is situated straight up and down.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: -0.8550

Range_Domain_Maximum: -2.0270

Attribute_Units_of_Measure: Degree

Attribute:

Attribute_Label: PAGESIZE

Attribute_Definition:

PAGESIZE contains the value of the width and height of the map in the final map product.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 11,17

Enumerated_Domain_Value_Definition: Page size= 11" by 17"

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Long Island*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200905*Metadata_Review_Date:* 200905*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Metadata_Standard_Name:* Content Standards for Digital Geospatial Metadata*Metadata_Standard_Version:* FGDC-STD-001-1998

Generated by [mup](#) version 2.9.8 on Thu May 28 14:12:12 2009

Coastal Resources Atlas: Long Island: MGT (Management Area Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: MGT (Management Area Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains human-use data for management areas, National Park Service

properties, State Parks, and National Wildlife Refuges in Long Island, New York. Vector polygons in this data set represent the management areas. Location-specific type and source information is stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Long Island ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1997

Ending_Date: 2007

Currentness_Reference:

The MGT data were compiled during 2007-2009. The currentness dates for the data range from 1997 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Management areas

Theme_Keyword: Human use resources

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning,

there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The *Spatial_Data_Organization_Information* section refers only to the source files in the Arc export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for

missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of digital boundaries for management areas. See also the SOCECON (Socioeconomic Resource Points and Lines) data layer, part of the larger Long Island ESI database, for additional human-use information. These data do not necessarily represent all management areas in Long Island.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: FIRE ISLAND NATIONAL PARK SERVICE

Publication_Date: 19971016

Title: BOUNDARY OF WILLIAM FLOYD ESTATE, GPS SWAT TEAM, 1997

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: VARIES

Type_of_Source_Media: hard drive

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1997

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: FIRE ISLAND NATIONAL PARK SERVICE

Publication_Date: 2006

Title: NPS-OWNED LAND ON FIRE ISLAND (OTIS PIKE WILDERNESS AREA)

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA & HARDCOPY MAP

Other_Citation_Details: FIRE ISLAND NATIONAL PARK SERVICE BROCHURE

Source_Scale_Denominator: VARIES
Type_of_Source_Media: hard drive & hardcopy map
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2006
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: MGT INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: FIRE ISLAND NATIONAL PARK SERVICE
 Publication_Date: 2001
 Title: FIRE ISLAND NATIONAL SEASHORE PARK BOUNDARY
 Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
 Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: HARD DRIVE
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2001
 Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: MGT INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator:
 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL
 CONSERVATION (NYS DEC)
 Publication_Date: 2007
 Title: DEC LANDS; DEC507.SHP
 Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
 Other_Citation_Details: NYS DEC, ALBANY, NY
Source_Scale_Denominator: 24,000
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: MGT INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: NEW YORK STATE DEPARTMENT OF STATE (NYS
 DOS)
 Publication_Date: 2006
 Title: SIGNIFICANT COASTAL FISH AND WILDLIFE

BOUNDARIES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NYS DEPARTMENT OF STATE, ALBANY, NY

Source_Scale_Denominator: 24,000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

NYS OFFICE OF PARKS, RECREATION AND HISTORIC PRESERVATION (OPRHP)

Publication_Date: 2007

Title: STATE PARK BOUNDARIES: OPRHP07.SHP

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NYS OPRHP, ALBANY, NY

Source_Scale_Denominator: 24,000

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

USFWS, REGION 9, INFORMATION TECHNOLOGY MANAGEMENT, BRANCH OF DATA AND SYSTEMS SERVICES

Publication_Date: 2001

Title: USFWS REVISED REFUGE BOUNDARIES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: REGION 9, INFORMATION RESOURCE MANAGEMENT, USFWS, DENVER, CO

Source_Scale_Denominator: 24,000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2001

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: MGT INFORMATION

Process_Step:

Process_Description:

Numerous digital coverages were used to depict the management data layer. Data was provided by: U.S. Fish and Wildlife Service (USFWS), New York State Department of State (NYS DOS), New York State Department of Environmental Conservation (NYS DEC), New York State Office of Parks, Recreation and Historic Preservation (NYS OPRHP), and others. See the Lineage Section of the metadata document for a detailed list of data providers. The above digital and/or hardcopy sources were compiled by the project biologist to create the MGT data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey (USGS) 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the MGT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 488

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 487
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 904
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 88989
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 677

Spatial_Reference_Information:*Horizontal_Coordinate_System_Definition*:*Geographic*:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:*Overview_Description*:*Entity_and_Attribute_Overview*:

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, MGT) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Long Island, the number is 53). ID is a unique combination of the atlas number (53), an element specific number (MGT = 11), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Detailed_Description:*Entity_Type*:

Entity_Type_Label: MGT.PAT

Entity_Type_Definition:

The MGT.PAT table contains attribute information for the vector polygons representing management areas, national parks, regional or State parks, and wildlife refuges. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between

attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MR

Enumerated_Domain_Value_Definition:

Multiple Records - Signifies that multiple types overlap in the polygon

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NP

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: P

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WR

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (53), element number (11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0531100002

Range_Domain_Maximum: 0531100497

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links directly to the SOC_DAT table. HUNUM values of 0

are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000461

Range_Domain_Maximum: 053000733

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000733

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (53), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0531000001

Range_Domain_Maximum: 0531100497

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000733

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AQUACULTURE

Enumerated_Domain_Value_Definition: Aquaculture site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BEACH

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: COMMERCIAL FISHING

Enumerated_Domain_Value_Definition: Commercial Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HISTORICAL SITE

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RECREATIONAL FISHING

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REGIONAL OR STATE PARK

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WATER INTAKE

Enumerated_Domain_Value_Definition: Water Intake

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME

Attribute_Definition: The feature name

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: CONTACT

Attribute_Definition: Contact person or entity

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PHONE

Attribute_Definition: Contact telephone number

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE

Attribute_Definition:

Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users.

Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Thu May 28 13:17:25 2009

Coastal Resources Atlas: Long Island: SOCECON (Socioeconomic Resource Points and Lines)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: SOCECON (Socioeconomic Resource Points and Lines)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

*Description:**Abstract:*

This data set contains human-use resource data for aquaculture sites, beaches, commercial fishing, historic sites, marinas, recreational fishing areas, and water intakes for Long Island, New York. Vector points and lines in this data set represent the human-use site locations. Location-specific type and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources. See also the MGT (Management Area Polygons) data layer, part of the larger Long Island ESI database, for additional human-use information.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

*Time_Period_of_Content:**Time_Period_Information:**Range_of_Dates/Times:*

Beginning_Date: 1998

Ending_Date: 2008

Currentness_Reference:

The SOCECON data were compiled during 2007-2009. The currentness dates for the data range from 1998 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

*Spatial_Domain:**Bounding_Coordinates:*

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

*Keywords:**Theme:*

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Socioeconomic resources

Theme_Keyword: Human use resources

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in the data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy reports and digital data on socio-economic resources. These data do not necessarily represent all human-use sites in Long Island. See also the MGT (Management Area Polygons) data layer, part of the larger Long Island ESI database, for additional human-use information.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the human-use data layers can come from expert interviews, hardcopy, or digital sources. Most of the spatial components of the human-use data layers are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. Some of the spatial components of the human-use data layers are compiled on hardcopy base maps with a scale of 1:24,000. See the *Lineage* and *Process_Description* sections for more information on the original data source and how these data were integrated or manipulated to create the final data set.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: DELORME

Publication_Date: 1998

Title: NEW YORK STATE ATLAS AND GAZETEER

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: DELORME, YARMOUTH, MAINE

Source_Scale_Denominator: 24,000

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DIANE ABELL, NATIONAL PARK SERVICE (NPS)

Publication_Date: 2007

Title: NATURAL AND HISTORIC RESOURCES OF FIRE ISLAND NATIONAL SEASHORE

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
JOSH THIELE, NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYS DEC)
Publication_Date: 2007
Title:
DISTRIBUTION AND ABUNDANCE DATA FOR INVERTEBRATES OF LONG ISLAND
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: MICHAEL BILECKI, NPS
Publication_Date: 2008
Title: MARINAS ON FIRE ISLAND NATIONAL SEASHORE
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2008
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: SOCECON INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title:
NYS DEC LOCATIONS OF SHELLFISH AQUACULTURE

SITES INCLUDING HATCHERIES, PRIVATELY
CONTROLLED UNDERWATER LANDS AND TEMPORARY
MARINE AREA USE ASSIGNMENTS

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: N/A

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2006

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DEC

Publication_Date: 2007

Title: LOCATIONS OF SHELLFISH AQUACULTURE SITES
WITHIN GREAT SOUTH BAY

Geospatial_Data_Presentation_Form: HARDCOPY MAP

Other_Citation_Details: N/A

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DEPT. OF STATE (DOS)

Publication_Date: 2004

Title: SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details: NYS DOS, ALBANY, NY

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DOS AND U.S. FISH AND WILDLIFE SERVICE
(USFWS)

Publication_Date: 1998

Title: MOLLUSCAN SHELLFISH

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details:

SOUTH SHORE ESTUARY RESERVE COUNCIL
TECHNICAL REPORT SERIES, SOUTHERN NEW
ENGLAND-NEW YORK BIGHT COASTAL ECOSYSTEMS
PROGRAM

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

NYS OFFICE OF PARKS, RECREATION AND HISTORIC
PRESERVATION (OPRHP)

Publication_Date: 2007

Title: NATIONAL REGISTER SITES: ALLNR.SHP

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NYS OPRHP, ALBANY, NY

Source_Scale_Denominator: 24,000

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: SOCECON INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

USFWS, REGION 9, INFORMATION TECHNOLOGY
MANAGEMENT, BRANCH OF DATA AND SYSTEMS
SERVICES

Publication_Date: 2001

Title: USFWS REVISED REFUGE BOUNDARIES

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: REGION 9, INFORMATION RESOURCE
MANAGEMENT, USFWS, DENVER, CO

Source_Scale_Denominator: 24,000

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

*Single_Date/Time:**Calendar_Date:* 2001*Source_Currentness_Reference:* DATE OF PUBLICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* SOCECON INFORMATION*Process_Step:**Process_Description:*

Three main sources of data were used to depict human-use resources for this data layer: 1) personal interviews with resource experts from the New York State Department of Environmental Conservation (NYS DEC); 2) the New York State Office of Parks, Recreation and Historic Preservation (NYS OPRHP); and 3) the National Park Service (NPS). Bridges were located using U.S. Geological Survey (USGS) topographic maps. State borders were taken from the 2001 Rhode Island, Connecticut, New York/New Jersey Metropolitan Area ESI atlas. See the Lineage section for additional information on the type of source data for this data layer.

The above digital and/or hardcopy sources were compiled by the project biologist to create the SOCECON data layer. Depending on the type of source data, three general approaches are used for compiling the data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto USGS 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the SOCECON data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903*Process_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Person:* Jill Petersen*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:*

*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Entity Point*Point_and_Vector_Object_Count:* 550*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 4*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 62*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 6*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, two relational attribute or data tables, SOC_DAT and SOURCES, are used to store the complex socioeconomic data in the ESI data structure. The geographic data layer containing socioeconomic data resource information (in this case, SOCECON) is linked to the Socioeconomic Resources table (SOC_DAT) using the unique ID and the lookup table SOC_LUT, or it can be linked directly using HUNUM. HUNUM is a unique reference number concatenated with the atlas number (for Long Island, the number is 53). ID is a unique combination of the atlas number (53), an element specific number (SOCECON = 10), and a unique record number. SOC_DAT and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOCECON.PAT*Entity_Type_Definition:*

The SOCECON.PAT table contains attribute information for the vector points representing aquaculture sites, beaches, commercial fishing, historic sites, marinas, recreational fishing, and water intakes. Note that all attribute

information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AQ

Enumerated_Domain_Value_Definition: Aquaculture site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: B

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: CF

Enumerated_Domain_Value_Definition: Commercial Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HS

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RF

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WI

Enumerated_Domain_Value_Definition: Water Intake

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (53), element number (10), and record number.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0531000001

Range_Domain_Maximum: 0531000550

Attribute:

Attribute_Label: HUNUM

Attribute_Definition: An identifier that links directly to the SOC_DAT table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000676

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOCECON.AAT

Entity_Type_Definition:

The SOCECON.AAT table contains attribute information for the vector lines representing bridges and state borders. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TYPE

Attribute_Definition:

The human-use features depicted on the maps are those that could be impacted by an oil spill or could provide access for response operations.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: R

Enumerated_Domain_Value_Definition: Road, Transportation, or Bridge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: SB

Enumerated_Domain_Value_Definition: State Border

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_LUT

Entity_Type_Definition:

The data table SOC_LUT is a lookup table that contains items necessary for linking vector objects in the human-use data layers with the SOC_DAT data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_LUT data table to records in the SOC_DAT data table. HUNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000733

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the human-use data layers to records in the SOC_LUT data table. ID is a concatenation of atlas number (53), element number (SOCECON=10; MGT=11), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0531000001

Range_Domain_Maximum: 0531100497

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOC_DAT

Entity_Type_Definition:

The data table SOC_DAT contains both human-use attribute data and items necessary for linking the human-use spatial data layers to the SOURCES data table. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: HUNUM

Attribute_Definition:

An identifier that links records in the SOC_DAT data table to records in the SOC_LUT data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000733

Attribute:

Attribute_Label: TYPE

Attribute_Definition: Identifies the feature type

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: AQUACULTURE

Enumerated_Domain_Value_Definition: Aquaculture site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BEACH

Enumerated_Domain_Value_Definition: Beach

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: COMMERCIAL FISHING

Enumerated_Domain_Value_Definition: Commercial Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HISTORICAL SITE

Enumerated_Domain_Value_Definition: Historical Site

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MANAGEMENT AREA

Enumerated_Domain_Value_Definition: Management Area

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: MARINA

Enumerated_Domain_Value_Definition: Marina

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: NATIONAL PARK

Enumerated_Domain_Value_Definition: National Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: RECREATIONAL FISHING

Enumerated_Domain_Value_Definition: Recreational Fishing

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REGIONAL OR STATE PARK

Enumerated_Domain_Value_Definition: Regional or State Park

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WATER INTAKE

Enumerated_Domain_Value_Definition: Water Intake

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: WILDLIFE REFUGE

Enumerated_Domain_Value_Definition: Wildlife Refuge

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NAME

Attribute_Definition: The feature name
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: CONTACT
Attribute_Definition: Contact person or entity
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PHONE
Attribute_Definition: Contact telephone number
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: Any character
 Enumerated_Domain_Value_Definition: Free text
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: G_SOURCE
Attribute_Definition:
 Geographic source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Range_Domain:
 Range_Domain_Minimum: 1
 Range_Domain_Maximum: N

Attribute:

Attribute_Label: A_SOURCE
Attribute_Definition:
 Attribute source identifier that links records in the SOC_DAT data table to records in the SOURCES data table.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Range_Domain:
 Range_Domain_Minimum: 1
 Range_Domain_Maximum: N

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES
Entity_Type_Definition:
 The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID
Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Long Island*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200905*Metadata_Review_Date:* 200905*Metadata_Contact:**Contact_Information:*

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Thu May 28 13:20:27 2009

Coastal Resources Atlas: Long Island: BIRDS (Bird Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title: Coastal Resources Atlas: Long Island: BIRDS (Bird Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for wading birds, shorebirds, waterfowl, raptors, diving birds, seabirds, passerine birds, and gulls and terns in Long

Island, New York. Vector polygons in this data set represent bird nesting, migratory staging, and wintering sites. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2008

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 1998 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Bird

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of

consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the

metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, maps, and digital data on bird nesting, wintering, migratory staging and other spatial/temporal concentration areas. These data do not necessarily represent all bird occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 1, Common loon, *Gavia immer*; 3, Red-throated loon, *Gavia stellata*; 4, Red-necked grebe, *Podiceps grisegena*; 5, Horned grebe, *Podiceps auritus*; 8, Double-crested cormorant, *Phalacrocorax auritus*; 11, Tundra swan, *Cygnus columbianus*; 12, Canada goose, *Branta canadensis*; 13, Brant, *Branta bernicla*; 15, Snow goose, *Chen caerulescens*; 16, Mallard, *Anas platyrhynchos*; 17, Northern pintail, *Anas acuta*; 18, Green-winged teal, *Anas crecca*; 20, Northern shoveler, *Anas clypeata*; 21, Canvasback, *Aythya valisineria*; 22, Greater scaup, *Aythya marila*; 23, Lesser scaup, *Aythya affinis*; 24, Common goldeneye, *Bucephala clangula*; 25, Barrow's goldeneye, *Bucephala islandica*; 26, Bufflehead, *Bucephala albeola*; 27, Long-tailed duck, *Clangula hyemalis*; 28, Harlequin duck, *Histrionicus histrionicus*; 29, White-winged scoter, *Melanitta fusca*; 30, Surf scoter, *Melanitta perspicillata*; 32, Common merganser, *Mergus merganser*; 33, Red-breasted merganser, *Mergus serrator*; 38, Herring gull, *Larus argentatus*; 40, Ring-billed gull, *Larus delawarensis*; 42, Bonaparte's gull, *Larus philadelphia*; 45, Common tern, *Sterna hirundo*; 53, Red-necked phalarope, *Phalaropus lobatus*; 54, Great blue heron, *Ardea herodias*; 55, Whimbrel, *Numenius phaeopus*; 56, Spotted sandpiper, *Actitis macularia*; 58, Greater yellowlegs, *Tringa melanoleuca*; 59, Lesser yellowlegs, *Tringa flavipes*; 60, Red knot, *Calidris canutus*; 62, Least sandpiper, *Calidris minutilla*; 63, Dunlin, *Calidris alpina*; 64, Short-billed dowitcher, *Limnodromus griseus*; 65, Long-billed dowitcher, *Limnodromus scolopaceus*; 66, Western sandpiper, *Calidris mauri*; 67, Sanderling, *Calidris alba*; 69, Semipalmated plover, *Charadrius semipalmatus*; 71, Black-bellied plover, *Pluvialis squatarola*; 73, Ruddy turnstone, *Arenaria interpres*; 76, Bald eagle, *Haliaeetus leucocephalus*; 77, Osprey, *Pandion haliaetus*; 86, Least tern, *Sterna antillarum*; 87, Little blue heron, *Egretta caerulea*; 88, Great egret, *Ardea alba*; 89, Snowy egret, *Egretta thula*; 90, Black-crowned night-heron, *Nycticorax nycticorax*; 91, Glossy ibis, *Plegadis falcinellus*; 92, Great black-backed gull, *Larus marinus*; 94, Tricolored heron, *Egretta tricolor*; 95, Roseate tern, *Sterna dougallii*; 97, Green heron, *Butorides virescens*; 98, Laughing gull, *Larus atricilla*; 103, Common eider, *Somateria mollissima*; 107, Peregrine falcon, *Falco peregrinus*; 120, Yellow-crowned night-heron, *Nyctanassa violacea*; 124, Redhead, *Aythya americana*; 125, Clapper rail, *Rallus longirostris*; 133, Black skimmer, *Rynchops niger*; 134, Gull-billed tern, *Sterna nilotica*; 138, Forster's tern, *Sterna forsteri*; 141, American avocet, *Recurvirostra americana*; 142, Black-necked stilt, *Himantopus mexicanus*; 148, Ruddy duck, *Oxyura jamaicensis*; 150, Black rail, *Laterallus jamaicensis*; 152, American oystercatcher, *Haematopus palliatus*; 153,

Piping plover, *Charadrius melodus*; 155, Willet, *Catoptrophorus semipalmatus*; 156, Semipalmated sandpiper, *Calidris pusilla*; 158, King eider, *Somateria spectabilis*; 162, Gadwall, *Anas strepera*; 167, Northern gannet, *Morus bassanus*; 169, American wigeon, *Anas americana*; 176, Short-eared owl, *Asio flammeus*; 178, Least bittern, *Ixobrychus exilis*; 179, Pied-billed grebe, *Podilymbus podiceps*; 180, Ring-necked duck, *Aythya collaris*; 181, Northern harrier, *Circus cyaneus*; 182, American kestrel, *Falco sparverius*; 184, King rail, *Rallus elegans*; 185, American bittern, *Botaurus lentiginosus*; 186, American black duck, *Anas rubripes*; 187, Virginia rail, *Rallus limicola*; 189, Yellow rail, *Coturnicops noveboracensis*; 190, Blue-winged teal, *Anas discors*; 191, Wood duck, *Aix sponsa*; 195, American woodcock, *Scolopax minor*; 197, Common scoter, *Melanitta nigra*; 198, Hooded merganser, *Lophodytes cucullatus*; 216, Belted kingfisher, *Ceryle alcyon*; 217, Mute swan, *Cygnus olor*; 219, Sharp-shinned hawk, *Accipiter striatus*; 220, Merlin, *Falco columbarius*; 221, Cooper's hawk, *Accipiter cooperii*; 223, Upland sandpiper, *Bartramia longicauda*; 230, Red-tailed hawk, *Buteo jamaicensis*; 240, Northern goshawk, *Accipiter gentilis*; 275, Great cormorant, *Phalacrocorax carbo*; 277, Seaside sparrow, *Ammodramus maritimus*; 278, Saltmarsh sharp-tailed sparrow, *Ammodramus caudacutus*; 313, Rare raptor, n/a; 385, Barn owl, *Tyto alba*; 445, Wilson's storm-petrel, *Oceanites oceanicus*; 529, Cory's shearwater, *Calonectris diomedea*; 801, Tree swallow, *Tachycineta bicolor*; 850, White-throated sparrow, *Zonotrichia albicollis*; 1002, Shorebirds, n/a; 1004, Wading birds, n/a; 1005, Raptors, n/a.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALEX CHMIELEWSKI, U.S. FISH & WILDLIFE SERVICE (USFWS)

Publication_Date: 2008

Title: BIRD SPECIES IN NATIONAL WILDLIFE REFUGES OF LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 DANIEL ROSENBLATT, NEW YORK STATE DEPARTMENT
 OF ENVIRONMENTAL CONSERVATION (NYS DEC)
Publication_Date: 2007
Title: SEASONALITY DATA FOR BREEDING BIRDS OF LONG
 ISLAND
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: DIANE ABELL, NATIONAL PARK SERVICE (NPS)
Publication_Date: 2007
Title: NATURAL AND HISTORIC RESOURCES OF FIRE ISLAND
 NATIONAL SEASHORE
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 DR. ARTHUR KOPELMAN, COASTAL RESEARCH AND
 EDUCATION SOCIETY OF LONG ISLAND (CRESLI)
Publication_Date: 2007
Title:
 ABUNDANCE AND DISTRIBUTION OF MARINE
 MAMMALS, SEA TURTLES, AND SEABIRDS
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: EMANUEL LEVINE, ED.
 Publication_Date: 1998
 Title: BULL'S BIRDS OF NEW YORK STATE
 Geospatial_Data_Presentation_Form: HARDCOPY TEXT
 Other_Citation_Details:
 COMSTOCK PUBLISHING ASSOCIATES, CORNELL
 UNIVERSITY PRESS, ITHACA, NY
 Type_of_Source_Media: PAPER
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 1998
 Source_Currentness_Reference: DATE OF PUBLICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: JAY LIPPERT, FIRE ISLAND NATIONAL SEASHORE
 Publication_Date: 2007
 Title:
 ABUNDANCE AND DISTRIBUTION DATA FOR NESTING
 BIRDS ON FIRE ISLAND
 Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
 Other_Citation_Details: N/A
 Type_of_Source_Media: PERSONAL COMMUNICATION
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF COMMUNICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: LISA MASSI, NYS DEC
 Publication_Date: 2007
 Title: ABUNDANCE AND DISTRIBUTION OF WATERFOWL ON

LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DEC

Publication_Date: 2007

Title: NYS DEC MUTE SWAN FACT SHEET

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details: NYS DEC, ALBANY, NY

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DEC

Publication_Date: 2007

Title: NHP LOW PRECISION SPECIES 07

Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA

Other_Citation_Details: NYS DEC, ALBANY, NY

Source_Scale_Denominator: 24,000

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: BIRDS INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DEC

Publication_Date: 2007

Title: SHORT-EARED OWL FACT SHEET

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details: ENDANGERED SPECIES UNIT, NYS DEC,
 ALBANY, NY
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2000
Title: BREEDING BIRD ATLAS - HANDBOOK FOR WORKERS
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details: NYS DEC, ALBANY, NY
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title: BREEDING BIRD SURVEY DATA
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Range_of_Dates/Times:
Beginning_Date: 2001
Ending_Date: 2006
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title: NHP SPECIES 07
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY

Source_Scale_Denominator: 24,000
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: NYS DEPARTMENT OF STATE (DOS)
 Publication_Date: 2004
 Title: SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS
 Geospatial_Data_Presentation_Form: DOCUMENT
 Other_Citation_Details: NYS DOS, ALBANY, NY
 Type_of_Source_Media: ONLINE
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2004
 Source_Currentness_Reference: DATE OF PUBLICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: NYS DOS AND USFWS
 Publication_Date: 1998
 Title: WATERFOWL
 Geospatial_Data_Presentation_Form: DOCUMENT
 Other_Citation_Details:
 SOUTH SHORE ESTUARY RESERVE COUNCIL
 TECHNICAL REPORT SERIES, SOUTHERN NEW
 ENGLAND-NEW YORK BIGHT COASTAL ECOSYSTEMS
 PROGRAM
 Type_of_Source_Media: ONLINE
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 1998
 Source_Currentness_Reference: DATE OF PUBLICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: BIRDS INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: TOWN OF EAST HAMPTON
 Publication_Date: 2007
 Title: NATURAL RESOURCES ACCESS DATABASE

Geospatial_Data_Presentation_Form: SPREADSHEET
Other_Citation_Details: N/A
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: TOWN OF HEMPSTEAD, DEPT OF CONSERVATION
AND WATERWAYS
Publication_Date: 2008
Title:
DISTRIBUTION AND ABUNDANCE OF BIOLOGICAL
RESOURCES IN HEMPSTEAD BAYS
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2008
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
USFWS, REGION 9, INFORMATION TECHNOLOGY
MANAGEMENT, BRANCH OF DATA AND SYSTEMS
SERVICES
Publication_Date: 2001
Title: USFWS REVISED REFUGE BOUNDARIES
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: REGION 9, INFORMATION RESOURCE
MANAGEMENT, USFWS, DENVER, CO
Source_Scale_Denominator: 24,000
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2001
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: BIRDS INFORMATION
Process_Step:

Process_Description:

Four main sources of data were used to depict bird distribution and seasonality for this data layer: 1) personal interviews with resource experts from the New York Department of Environmental Conservation (NYS DEC), U.S. Fish and Wildlife Service (USFWS) Long Island National Wildlife Refuge Complex, National Park Service (NPS), Fire Island National Seashore (FINS), Coastal Research and Education Society of Long Island (CRESLI), and several Long Island townships; 2) digital breeding bird data set provided by NYS DEC; 3) digital data provided by New York Natural Heritage Program (NYS NHP); and 4) numerous published and unpublished reports. The above digital and/or hardcopy sources were compiled by the project biologist to create the BIRDS data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the BIRDS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 7865

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 7864

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 18228

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 724514

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 12431

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, BIRDS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC,

BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIRDS.PAT

Entity_Type_Definition:

The BIRDS.PAT table contains attribute information for the vector polygons in this data set representing bird nesting, migratory staging, and wintering sites. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530100002

Range_Domain_Maximum: 0530109257

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000643*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000905*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (1), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 0530100002*Range_Domain_Maximum:* 0530900714*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values, and may contain counts of individuals for each species present at a particular nesting or wintering site, or a term that describes relative abundance of birds at a particular site. The field may contain counts of individuals (XX BIRDS) or a range of individuals (XX-XXX BIRDS). In cases where no quantitative count data were available, the field may contain descriptive terms, such as "ABUNDANT" or "COMMON", or a concentration approximation, such as "100s." If no concentration information was available from any source, the field is populated with "-". Counts were derived from a variety of surveys, and may range in date (see Lineage).

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME

Attribute_Definition: Species common name for the entire ESI data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC
Attribute_Definition: Species scientific name for the entire ESI data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: BIRD
 Enumerated_Domain_Value_Definition: Birds
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: FISH
 Enumerated_Domain_Value_Definition: Fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: HABITAT
 Enumerated_Domain_Value_Definition: Habitats and Plants
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: INVERT
 Enumerated_Domain_Value_Definition: Invertebrates
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: M_MAMMAL
 Enumerated_Domain_Value_Definition: Marine Mammals
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: REPTILE
 Enumerated_Domain_Value_Definition: Reptiles and Amphibians
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: T_MAMMAL
 Enumerated_Domain_Value_Definition: Terrestrial Mammals
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: fav

Enumerated_Domain_Value_Definition: Floating aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: insect
Enumerated_Domain_Value_Definition: Insect
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: plant
Enumerated_Domain_Value_Definition: Plant
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* raptor
 - Enumerated_Domain_Value_Definition:* Raptor
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* sav
 - Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* shorebird
 - Enumerated_Domain_Value_Definition:* Shorebird
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* shrimp
 - Enumerated_Domain_Value_Definition:* Shrimp
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* sm_mammal
 - Enumerated_Domain_Value_Definition:* Small mammal
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* turtle
 - Enumerated_Domain_Value_Definition:* Turtle
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* upland
 - Enumerated_Domain_Value_Definition:* Upland
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* wading
 - Enumerated_Domain_Value_Definition:* Wading bird
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* waterfowl
 - Enumerated_Domain_Value_Definition:* Waterfowl
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*
 - Enumerated_Domain:*
 - Enumerated_Domain_Value:* wetland
 - Enumerated_Domain_Value_Definition:* Wetland
 - Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.
- Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIoRES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIoRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and

SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then

BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.

*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:*

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 11:29:02 2009

Coastal Resources Atlas: Long Island: FISH (Fish Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title: Coastal Resources Atlas: Long Island: FISH (Fish Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for marine, estuarine, anadromous, and freshwater fish species for Long Island, New York. Vector polygons

in this data set represent fish distribution, concentration areas, and spawning areas. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2008

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 1994 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Fish

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in

place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, survey data, and hardcopy maps. These data do not necessarily represent all fish occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 65, Bluefish, *Pomatomus saltatrix*; 74, Rainbow trout, *Oncorhynchus mykiss*; 81, Spiny dogfish, *Squalus acanthias*; 84, Rainbow smelt, *Osmerus mordax*; 85, Alewife, *Alosa pseudoharengus*; 86, Blueback herring, *Alosa aestivalis*; 87, American shad, *Alosa sapidissima*; 88, Winter flounder, *Pleuronectes americanus*; 89, Cunner, *Tautoglabrus adspersus*; 93, Striped killifish, *Fundulus majalis*; 95, Mummichog, *Fundulus heteroclitus*; 97, Tautog, *Tautoga onitis*; 98, American eel, *Anguilla rostrata*; 99, Atlantic tomcod, *Microgadus tomcod*; 100, Brown trout, *Salmo trutta*; 101, Shortnose sturgeon, *Acipenser brevirostrum*; 102, Atlantic sturgeon, *Acipenser oxyrinchus*; 104, Striped bass, *Morone saxatilis*; 105, Hickory shad, *Alosa mediocris*; 108, Summer flounder, *Paralichthys dentatus*; 110, Black sea bass, *Centropristis striata*; 113, Bay anchovy, *Anchoa mitchilli*; 115, Atlantic menhaden, *Brevoortia tyrannus*; 121, Spot, *Leiostomus xanthurus*; 127, Spanish mackerel, *Scomberomorus maculatus*; 138, Weakfish, *Cynoscion regalis*; 142, Crevalle jack, *Caranx hippos*; 144, Atlantic salmon, *Salmo salar*; 145, White perch, *Morone americana*; 146, Atlantic herring, *Clupea harengus*; 147, Atlantic mackerel, *Scomber scombrus*; 148, Silver hake, *Merluccius bilinearis*; 149, Atlantic cod, *Gadus morhua*; 150, Scup, *Stenotomus chrysops*; 151, Northern puffer, *Sphoeroides maculatus*; 152, Yellow perch, *Perca flavescens*; 153, Northern kingfish, *Menticirrhus saxatilis*; 154, Pollock, *Pollachius virens*; 155, Red hake, *Urophycis chuss*; 156, American sand lance, *Ammodytes americanus*; 158, Butterfish, *Pepilus triacanthus*; 160, Windowpane, *Scophthalmus aquosus*; 162, Common carp, *Cyprinus carpio*; 163, Gizzard shad, *Dorosoma cepedianum*; 166, Brook trout, *Salvelinus fontinalis*; 173, White mullet, *Mugil curema*; 179, Largemouth bass, *Micropterus salmoides*; 180, Smallmouth bass, *Micropterus dolomieu*; 181, Black crappie, *Pomoxis nigromaculatus*; 182, Bluegill, *Lepomis macrochirus*; 211, Brown bullhead, *Ameiurus nebulosus*; 212, Pumpkinseed, *Lepomis gibbosus*; 274, Sheepshead minnow, *Cyprinodon variegatus*; 278, False albacore, *Euthynnus alletteratus*; 282, Mullet, *Mugil spp.*; 292, Chain pickerel, *Esox niger*; 294, Spotted hake, *Urophycis regia*; 311, Atlantic bonito, *Sarda sarda*; 335, Silversides, n/a; 353, Golden shiner, *Notemigonus crysoleucas*; 366, Hogchoker, *Trinectes maculatus*; 469, Pirate perch, *Aphredoderus sayanus*; 477, Cownose ray, *Rhinoptera bonasus*; 482, Northern pipefish, *Syngnathus fuscus*; 483, Northern searobin, *Prionotus carolinus*; 485, Oyster toadfish, *Opsanus tau*; 487, Skates, *Raja spp.*; 506, White catfish, *Ameiurus catus*; 614, Roughtail stingray, *Dasyatis centroura*; 891, Mudminnow, *Umbra limi*; 966, Clearnose skate, *Raja eglanteria*; 967, Sandbar shark, *Carcharhinus plumbeus*; 985, Redbreast sunfish, *Lepomis auritus*; 986, Tessellated darter, *Etheostoma olmstedi*; 999, Redfin pickerel, *Esox americanus americanus*; 1029, Gobies, n/a; 1044, Conger eels, n/a; 1087, White shark, *Carcharodon*

carcharias; 1088, Lined seahorse, *Hippocampus erectus*; 1089, Little skate, *Leucoraja erinacea*; 1107, Sand tiger shark, *Carcharias taurus*; 1108, Smooth dogfish, *Mustelus canis*; 1109, Striped searobin, *Prionotus evolans*; 1126, Shortfin mako, *Isurus oxyrinchus*; 1127, Swamp darter, *Etheostoma fusiforme*; 1128, Banded sunfish, *Enneacanthus obesus*; 1129, Barndoor skate, *Dipturus laevis*; 1130, Dusky shark, *Carcharhinus obscurus*; 1131, Winter skate, *Leucoraja ocellata*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

A. WEBER, C. GRAHN, AND B. HAVENS, NEW YORK
STATE DEPARTMENT OF ENVIRONMENTAL
CONSERVATION (NYS DEC)

Publication_Date: 1998

Title:

SPECIES COMPOSITION, SEASONAL OCCURRENCE, AND
RELATIVE ABUNDANCE OF FINFISH AND
MACROINVERTS TAKEN BY SMALL-MESH OTTER
TRAWL IN PECONIC BAY, NY

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

NYS DEC, DIVISION OF FISH, WILDLIFE, AND MARINE
RESOURCES, MARINE FINFISH UNIT, EAST SETAUKET,
NY

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CHARLES GUTHRIE, NYS DEC

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION OF FRESHWATER FISH

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CHRISTINA GRUHN, NYS DEC

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION OF FINFISH IN NEARSHORE WATERS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator:

DR. ARTHUR KOPELMAN, COASTAL RESEARCH AND EDUCATION SOCIETY OF LONG ISLAND (CRESLI)

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION OF MARINE MAMMALS, SEA TURTLES, AND SEABIRDS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: H. O'RIORDAN, NYS DEC

Publication_Date: 2008

Title:

DISTRIBUTION AND ABUNDANCE OF FRESHWATER FISH
IN LONG ISLAND SOUND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: KIM MCKOWN, NYS DEC

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION OF FISH AND
SHELLFISH IN NEARSHORE WATERS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NOAA'S ESTUARINE LIVING MARINE RESOURCES
PROGRAM

Publication_Date: 1994

Title:

DISTRIBUTION AND ABUNDANCE OF FISHES AND
INVERTEBRATES IN MID-ATLANTIC ESTUARIES

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

ELMR REPORT NO. 12, NOAA/NOS STRATEGIC
ENVIRONMENTAL ASSESSMENTS DIVISION, SILVER
SPRING, MD

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1994
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title: THE PIKE OF NEW YORK
Geospatial_Data_Presentation_Form: DOCUMENT
Other_Citation_Details: NYS DEC, ALBANY, NY
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title: SWAMP DARTER FACT SHEET
Geospatial_Data_Presentation_Form: DOCUMENT
Other_Citation_Details:
 NYS DEC, BUREAU OF FISHERIES, ALBANY, NY;
 AVAILABLE: <<http://www.dec.ny.gov/animals/26000.html>>
 (Contact the site webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DOS
Publication_Date: 2004
Title: SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS
Geospatial_Data_Presentation_Form: DOCUMENT
Other_Citation_Details: NYS DEPARTMENT OF STATE (DOS),
 ALBANY, NY

Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2004
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DOS AND U.S. FISH AND WILDLIFE (USFWS)
Publication_Date: 1998
Title: ESTUARINE FISHES
Geospatial_Data_Presentation_Form: DOCUMENT
Other_Citation_Details:
SOUTH SHORE ESTUARY RESERVE COUNCIL
TECHNICAL REPORT SERIES, SOUTHERN NEW
ENGLAND-NEW YORK BIGHT COASTAL ECOSYSTEMS
PROGRAM
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1998
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2008
Title: LARGER UNUSUAL FISH THAT ANGLERS MAY
ENCOUNTER
Geospatial_Data_Presentation_Form: DOCUMENT
Other_Citation_Details:
NYS DEC, BUREAU OF FISHERIES, ALBANY, NY;
AVAILABLE: <<http://www.dec.ny.gov/animals/7014.html>>
(Contact the site webmaster if this URL is no longer active.)
Type_of_Source_Media: ONLINE
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2008
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: FISH INFORMATION
Source_Information:
Source_Citation:
Citation_Information:

Originator: PECONIC ESTUARY PROGRAM (PEP)

Publication_Date: 2005

Title: PECONIC RIVER FISHWAYS: MAKING THE
INSURMOUNTABLE SURMOUNTABLE

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details:

PEP OFFICE, YAPHANK, NY; AVAILABLE:

<http://www.peconicestuary.org/Fishways.html> (Contact the site
webmaster if this URL is no longer active.)

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2005

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: STEVE HEINS, NYS DEC

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION OF FISH IN WATERS OF
LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TIM GREEN, BROOKHAVEN NATIONAL
LABORATORY

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION DATA FOR REPTILES,
AMPHIBIANS, AND TERRESTRIAL MAMMALS ON LONG
ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TOWN OF EAST HAMPTON

Publication_Date: 2007

Title: NATURAL RESOURCE ACCESS DATABASE

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: N/A

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: FISH INFORMATION

Process_Step:

Process_Description:

Two main sources of data were used to depict fish distribution and seasonality for this data layer: 1) personal interviews with resource experts from the New York State Department of Environmental Conservation (NYS DEC), Town of Hempstead, and East Hampton Town, and 2) numerous published and unpublished reports. Seasonality was based on the National Oceanic and Atmospheric Administration's (NOAA) Estuarine Living Marine Resources (ELMR) Program. The above digital and/or hardcopy sources were compiled by the project biologist to create the FISH data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the FISH data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle
 State_or_Province: Washington
 Postal_Code: 98115-6349
 Contact_Voice_Telephone: (206) 526-6944
 Contact_Facsimile_Telephone: (206) 526-6329
 Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 1084

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 1083

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 1626

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 266725

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 1586

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, FISH) is linked to the

Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: FISH.PAT

Entity_Type_Definition:

The FISH.PAT table contains attribute information for the vector polygons in this data set representing fish distribution, concentration areas, and spawning areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530200002

Range_Domain_Maximum: 0530200907

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000644

Range_Domain_Maximum: 053000675

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (2), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 0530100002*Range_Domain_Maximum:* 0530900714*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000905*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density values of a species at a particular location. No concentration data were available for fish, so the CONC field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: e_resident
 Enumerated_Domain_Value_Definition: Estuarine resident
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: fav
 Enumerated_Domain_Value_Definition: Floating aquatic vegetation
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: freshwater
 Enumerated_Domain_Value_Definition: Freshwater fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: gull_tern
 Enumerated_Domain_Value_Definition: Gull or tern
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: insect
 Enumerated_Domain_Value_Definition: Insect
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: lobster
 Enumerated_Domain_Value_Definition: Lobster
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: m_benthic
 Enumerated_Domain_Value_Definition: Marine benthic fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: m_pelagic
 Enumerated_Domain_Value_Definition: Marine pelagic bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: passerine
 Enumerated_Domain_Value_Definition: Passerine bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: pelagic
 Enumerated_Domain_Value_Definition: Pelagic bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: pinniped
 Enumerated_Domain_Value_Definition: Pinniped
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: plant
 Enumerated_Domain_Value_Definition: Plant
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: raptor
 Enumerated_Domain_Value_Definition: Raptor
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sav
 Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shorebird
 Enumerated_Domain_Value_Definition: Shorebird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shrimp
 Enumerated_Domain_Value_Definition: Shrimp
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sm_mammal
 Enumerated_Domain_Value_Definition: Small mammal
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: turtle
 Enumerated_Domain_Value_Definition: Turtle
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: upland
 Enumerated_Domain_Value_Definition: Upland
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: wading
 Enumerated_Domain_Value_Definition: Wading bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl*Enumerated_Domain_Value_Definition:* Waterfowl*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* wetland*Enumerated_Domain_Value_Definition:* Wetland*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in April
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY
Attribute_Definition: May
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in June
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in July
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in August
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in September
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links

records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED5*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* C*Enumerated_Domain_Value_Definition:* Species of Special Concern*Enumerated_Domain_Value_Definition_Source:* NOAA ESI Guidelines*Attribute:**Attribute_Label:* S_DATE*Attribute_Definition:*

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five

characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 11:34:26 2009

Coastal Resources Atlas: Long Island: INVERT (Invertebrate Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: INVERT (Invertebrate Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for coastal, estuarine, and

marine invertebrate species for Long Island, New York. Vector polygons in this data set represent invertebrate distribution and concentration areas. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1994

Ending_Date: 2008

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 1994 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Invertebrate

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of

consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the

metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, maps, and digital data on invertebrate distribution and concentration areas. These data do not necessarily represent all invertebrate occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 19, Blue mussel, *Mytilus edulis*; 25, Softshell clam, *Mya arenaria*; 41, Bay scallop, *Argopecten irradians*; 42, Northern quahog, *Mercenaria mercenaria*; 43, American oyster, *Crassostrea virginica*; 44, Horseshoe crab, *Limulus polyphemus*; 45, American lobster, *Homarus americanus*; 49, Blue crab, *Callinectes sapidus*; 73, Longfin squid, *Loligo pealeii*; 80, Ribbed mussel, *Geukensia demissa*; 276, Sevenspine bay shrimp, *Crangon septemspinosa*; 286, Ocean quahog, *Arctica islandica*; 287, Atlantic surfclam, *Spisula solidissima*; 289, Daggerblade grass shrimp, *Palaemonetes pugio*; 303, Atlantic rock crab, *Cancer irroratus*; 304, Green crab, *Carcinus maenas*; 305, Jonah crab, *Cancer borealis*; 378, Rare insect, n/a; 397, Mantis shrimp, *Gonadactylus falcatus*; 505, Monarch butterfly, *Danaus plexippus*; 571, Lady crab, *Ovalipes ocellatus*; 585, Coastal barrens buckmoth, *Hemileuca maia* ssp. 5; 586, Pine Barrens underwing, *Catocala herodias gerhardi*; 588, Atlantic razor, *Siliqua costata*; 1060, Spider crabs, *Libinia* spp.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator:

A. WEBER, C. GRAHN, AND B. HAVENS, NEW YORK
STATE DEPARTMENT OF ENVIRONMENTAL
CONSERVATION (NYS DEC)

Publication_Date: 1998

Title:

SPECIES COMPOSITION, SEASONAL OCCURRENCE, AND
RELATIVE ABUNDANCE OF FINFISH AND
MACROINVERTS TAKEN BY SMALL-MESH OTTER
TRAWL IN PECONIC BAY, NY

Geospatial_Data_Presentation_Form: HARDCOPY TEXT

Other_Citation_Details:

NYS DEC, DIVISION OF FISH, WILDLIFE, AND MARINE
RESOURCES, MARINE FINFISH UNIT, EAST SETAUKET,
NY

Type_of_Source_Media: PAPER

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: CHRISTINA GRUHN, NYS DEC

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION OF FINFISH IN
NEARSHORE WATERS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DEBBIE BARNES, NYS DEC

Publication_Date: 2008

Title:

DISTRIBUTION AND ABUNDANCE DATA FOR
INVERTEBRATES OF LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: DIANE ABELL, NATIONAL PARK SERVICE (NPS)

Publication_Date: 2007

Title: NATURAL AND HISTORIC RESOURCES OF FIRE ISLAND
NATIONAL SEASHORE

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: JOSH THIELE, NYS DEC

Publication_Date: 2007

Title:

DISTRIBUTION AND ABUNDANCE DATA FOR
INVERTEBRATES OF LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: KIM MCKOWN, NYS DEC

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION OF FISH AND
SHELLFISH IN NEARSHORE WATERS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NOAA'S ESTUARINE LIVING MARINE RESOURCES
(ELMR) PROGRAM
Publication_Date: 1994
Title:
DISTRIBUTION AND ABUNDANCE OF FISHES AND
INVERTEBRATES IN MID-ATLANTIC ESTUARIES
Geospatial_Data_Presentation_Form: HARDCOPY TEXT
Other_Citation_Details:
ELMR REPORT NO. 12, NOAA/NOS STRATEGIC
ENVIRONMENTAL ASSESSMENTS DIVISION, SILVER
SPRING, MD
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 1994
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2005
Title: 2005 SURFCLAM SURVEY SAMPLING STRATA
Geospatial_Data_Presentation_Form: HARDCOPY MAP
Other_Citation_Details: NYS DEC, EAST SETAUKET, NY
Type_of_Source_Media: PAPER
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2005
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC

Publication_Date: 2007
Title: NHP SPECIES 07
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY
Source_Scale_Denominator: 24,000
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: INVERT INFORMATION
Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: NYS DOS
 Publication_Date: 2004
 Title: SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS
 Geospatial_Data_Presentation_Form: DOCUMENT
 Other_Citation_Details: NYS DOS, ALBANY, NY
 Type_of_Source_Media: ONLINE
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2004
 Source_Currentness_Reference: DATE OF PUBLICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: INVERT INFORMATION
 Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: TOWN OF EAST HAMPTON
 Publication_Date: 2007
 Title: NATURAL RESOURCES ACCESS DATABASE
 Geospatial_Data_Presentation_Form: SPREADSHEET
 Other_Citation_Details: N/A
 Type_of_Source_Media: EMAIL
 Source_Time_Period_of_Content:
 Time_Period_Information:
 Single_Date/Time:
 Calendar_Date: 2007
 Source_Currentness_Reference: DATE OF COMMUNICATION
 Source_Citation_Abbreviation: NONE
 Source_Contribution: INVERT INFORMATION
 Source_Information:
 Source_Citation:
 Citation_Information:
 Originator: TOWN OF HEMPSTEAD, DEPT OF CONSERVATION
 AND WATERWAYS
 Publication_Date: 2008

Title:

DISTRIBUTION AND ABUNDANCE OF BIOLOGICAL
RESOURCES IN HEMPSTEAD BAYS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: INVERT INFORMATION

*Process_Step:**Process_Description:*

Two main sources of data were used to depict invertebrate distribution and seasonality for this data layer: 1) personal interviews with resource experts from the New York State Department of Environmental Conservation (NYS DEC) and the National Park Service, Fire Island National Seashore, 2) digital data provided by the New York State Natural Heritage Program (NHP), and 3) numerous published and unpublished reports. The above digital and/or hardcopy sources were compiled by the project biologist to create the INVERT data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the INVERT data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

*Process_Contact:**Contact_Information:**Contact_Organization_Primary:*

Contact_Organization: NOAA, Office of Response and
Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of chains*Point_and_Vector_Object_Count:* 1072*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 1071*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 1770*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 278060*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 1639

*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698

*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, INVERT) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a

"resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: INVERT.PAT

Entity_Type_Definition:

The INVERT.PAT table contains attribute information for the vector polygons in this data set representing invertebrate distribution and concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 0530700002*Range_Domain_Maximum:* 0530700956*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000785*Range_Domain_Maximum:* 053000833*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000905*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (7), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 0530100002*Range_Domain_Maximum:* 0530900714*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values, and may contain counts of a species at a particular location. No quantitative count data were available for invertebrates, so the field may contain descriptive terms, such as "ABUNDANT" or "COMMON", to describe the relative abundance of particular invertebrate species at specific locations. In cases where no concentration information was available from any source, the field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SUBELEMENT*Attribute_Definition:* Element subgroup delineating a logical grouping of species.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* amphibian*Enumerated_Domain_Value_Definition:* Amphibian*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* bivalve*Enumerated_Domain_Value_Definition:* Bivalve*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* cephalopod*Enumerated_Domain_Value_Definition:* Cephalopod*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* crab*Enumerated_Domain_Value_Definition:* Crab*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diadromous*Enumerated_Domain_Value_Definition:* Diadromous fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* diving*Enumerated_Domain_Value_Definition:* Diving bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* dolphin*Enumerated_Domain_Value_Definition:* Dolphin*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* e_nursery*Enumerated_Domain_Value_Definition:* Estuarine nursery fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: fav
Enumerated_Domain_Value_Definition: Floating aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: insect
Enumerated_Domain_Value_Definition: Insect
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: plant
 Enumerated_Domain_Value_Definition: Plant
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: raptor
 Enumerated_Domain_Value_Definition: Raptor
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sav
 Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shorebird
 Enumerated_Domain_Value_Definition: Shorebird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shrimp
 Enumerated_Domain_Value_Definition: Shrimp
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sm_mammal
 Enumerated_Domain_Value_Definition: Small mammal
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: turtle
 Enumerated_Domain_Value_Definition: Turtle
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: upland
 Enumerated_Domain_Value_Definition: Upland
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: wading
 Enumerated_Domain_Value_Definition: Wading bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: waterfowl
 Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wetland

Enumerated_Domain_Value_Definition: Wetland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* MAY*Attribute_Definition:* May*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in May*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUN*Attribute_Definition:* June*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in June*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* JUL*Attribute_Definition:* July*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in July*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* AUG*Attribute_Definition:* August*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in August*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SEP*Attribute_Definition:* September*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in September*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* OCT*Attribute_Definition:* October*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in October
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in November
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC
Attribute_Definition: December
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: X
Enumerated_Domain_Value_Definition: Present in December
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E#####
Enumerated_Domain_Value_Definition:
Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:*

Entity_Type_Label: BREED
Entity_Type_Definition:
The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.
Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA
Attribute_Definition:
Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.
Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = internesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* John Kaperick*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6400*Contact_Facsimile_Telephone:* (206) 526-6329*Resource_Description:* ESI Atlas for Long Island*Distribution_Liability:*

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

*Metadata_Reference_Information:**Metadata_Date:* 200905*Metadata_Review_Date:* 200905*Metadata_Contact:**Contact_Information:**Contact_Person_Primary:**Contact_Person:* Jill Petersen*Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Position:* GIS Manager*Contact_Address:**Address_Type:* Physical Address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 11:55:48 2009

Coastal Resources Atlas: Long Island: REPTILES (Reptile and Amphibian Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: REPTILES (Reptile and Amphibian Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for sea turtles, estuarine turtles, and amphibians for Long Island, New York. Vector polygons in this data set represent turtle and amphibian distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2008

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 1998 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Reptile

Theme_Keyword: Amphibian

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to

the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, soecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as

dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, maps, and digital data on turtle and amphibian distribution. These data do not necessarily represent all reptile occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 2, Green sea turtle, *Chelonia mydas*; 4, Kemp's ridley sea turtle, *Lepidochelys kempii*; 5, Leatherback sea turtle, *Dermochelys coriacea*; 6, Loggerhead sea turtle, *Caretta caretta*; 7, Diamondback terrapin, *Malaclemys terrapin*; 32, Spotted turtle, *Clemmys guttata*; 36, Rare salamander, n/a; 112, Rare amphibian, n/a; 183, Rare reptile, n/a; 184, Southern leopard frog, *Lithobates sphenoccephalus*; 185, Eastern mud turtle, *Kinosternon subrubrum*; 186, Eastern spadefoot, *Scaphiopus holbrookii*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: ALEX CHMIELEWSKI, U.S. FISH & WILDLIFE SERVICE (USFWS)

Publication_Date: 2008

Title: BIRD SPECIES IN NATIONAL WILDLIFE REFUGES OF LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2008
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 DR. ARTHUR KOPELMAN, COASTAL RESEARCH AND
 EDUCATION SOCIETY OF LONG ISLAND (CRESLI)
Publication_Date: 2007
Title:
 ABUNDANCE AND DISTRIBUTION OF MARINE
 MAMMALS, SEA TURTLES, AND SEABIRDS
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL
 CONSERVATION (NYS DEC)
Publication_Date: 2007
Title: NHP SPECIES 07
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY
Source_Scale_Denominator: 24,000
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: REPTILES INFORMATION
Source_Information:
Source_Citation:

Citation_Information:

Originator: NYS DEPARTMENT OF STATE (DOS)

Publication_Date: 2004

Title: SIGNIFICANT COASTAL FISH AND WILDLIFE HABITATS

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details: NYS DOS, ALBANY, NY

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2004

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: NYS DOS AND USFWS

Publication_Date: 1998

Title: MARINE TURTLES, DIAMONDBACK TERRAPIN, MUD TURTLES, AND SEALS

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details:

SOUTH SHORE ESTUARY RESERVE COUNCIL

TECHNICAL REPORT SERIES, SOUTHERN NEW

ENGLAND-NEW YORK BIGHT COASTAL ECOSYSTEMS

PROGRAM

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TIM GREEN, BROOKHAVEN NATIONAL LABORATORY

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION DATA FOR REPTILES, AMPHIBIANS, AND TERRESTRIAL MAMMALS ON LONG ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TOWN OF EAST HAMPTON

Publication_Date: 2007

Title: NATURAL RESOURCS ACCESS DATABASE

Geospatial_Data_Presentation_Form: SPREADSHEET

Other_Citation_Details: N/A

Type_of_Source_Media: EMAIL

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: WENDY FIDAO, FRIENDS OF FLAX POND

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION DATA FOR REPTILES AND MARINE MAMMALS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: REPTILES INFORMATION

Process_Step:

Process_Description:

Two main sources of data were used to depict reptile distribution and seasonality for this data layer: 1) personal interviews with resource experts from the New York State Department of Environmental Conservation (NYS DEC), Coastal Research and Education Society of Long Island (CRESLI), The Friends of Flax Pond, and Riverhead Foundation; 2) digital data provided by the New York State Natural Heritage Program (NYS NHP); and 3) numerous published and unpublished reports. Amphibian distribution was depicted from digital data provided by the New York State Natural Heritage Program. The above digital and/or hardcopy sources were compiled by the project biologist to create the REPTILES data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto

U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the REPTILES data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 2545

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 2544

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 4585

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 404801

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Node, planar graph

Point_and_Vector_Object_Count: 3425

Spatial_Reference_Information:

*Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, REPTILES) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file

described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: REPTILES.PAT

Entity_Type_Definition:

The REPTILES.PAT table contains attribute information for the vector polygons in this data set representing turtle and amphibian distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530600002

Range_Domain_Maximum: 0530602650

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000876

Range_Domain_Maximum: 053000903

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (6), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530100002

Range_Domain_Maximum: 0530900714

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

*Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density values. No concentration data were available for terrestrial mammals, so this field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* S_SOURCE*Attribute_Definition:*

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME*Attribute_Definition:* Species common name for the entire ESI data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* GEN_SPEC*Attribute_Definition:* Species scientific name for the entire ESI data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: fav
Enumerated_Domain_Value_Definition: Floating aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: insect
Enumerated_Domain_Value_Definition: Insect
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pelagic*Enumerated_Domain_Value_Definition:* Pelagic bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* pinniped*Enumerated_Domain_Value_Definition:* Pinniped*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* plant*Enumerated_Domain_Value_Definition:* Plant*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor*Enumerated_Domain_Value_Definition:* Raptor*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sav*Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shorebird*Enumerated_Domain_Value_Definition:* Shorebird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shrimp*Enumerated_Domain_Value_Definition:* Shrimp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: upland

Enumerated_Domain_Value_Definition: Upland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wetland

Enumerated_Domain_Value_Definition: Wetland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally

MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* MONTH*Attribute_Definition:*

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* 12*Attribute:**Attribute_Label:* BREED1*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL

elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Detailed_Description:**Entity_Type:*

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and

refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into

multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 12:26:37 2009

Coastal Resources Atlas: Long Island: M_MAMMAL (Marine Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
 - [Data Quality Information](#)
 - [Spatial Data Organization Information](#)
 - [Spatial Reference Information](#)
 - [Entity and Attribute Information](#)
 - [Distribution Information](#)
 - [Metadata Reference Information](#)
-

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: M_MAMMAL (Marine Mammal Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for seals, whales, and porpoises for Long Island, New York. Vector polygons in this data set represent marine mammal distribution, haul-out sites, and concentration areas. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 1998

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 1998 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Marine Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to

the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003).

The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, socecon.e00, sources.e00, species.e00, status.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as

dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written.

After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge, available hardcopy documents, survey data, and maps on marine mammal distribution, haul-out sites, and concentration areas. These data do not necessarily represent all marine mammal occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 2, Harbor seal, *Phoca vitulina*; 6, Harbor porpoise, *Phocoena phocoena*; 11, Fin whale, *Balaenoptera physalus*; 12, Minke whale, *Balaenoptera acutorostrata*; 13, Humpback whale, *Megaptera novaeangliae*; 14, Gray seal, *Halichoerus grypus*; 17, Bottlenose dolphin, *Tursiops truncatus*; 48, Sperm whale, *Physeter macrocephalus*; 60, Common dolphin, *Delphinus delphis*; 81, North Atlantic right whale, *Eubalaena glacialis*; 83, Long-finned pilot whale, *Globicephala melaena*; 84, Hooded seal, *Cystophora cristata*; 85, Harp seal, *Pagophilus groenlandicus*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: DIANE ABELL, NATIONAL PARK SERVICE (NPS)

Publication_Date: 2007

Title: NATURAL AND HISTORIC RESOURCES OF FIRE ISLAND
NATIONAL SEASHORE

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
DR. ARTHUR KOPELMAN, Coastal Research and Education
Society of Long Island (CRESLI)
Publication_Date: 2007
Title:
ABUNDANCE AND DISTRIBUTION OF MARINE
MAMMALS, SEA TURTLES, AND SEABIRDS
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: UNPUBLISHED
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:
Source_Citation:
Citation_Information:
Originator:
NICOLE MIHNOVETS, NEW YORK STATE DEPARTMENT
OF ENVIRONMENTAL CONSERVATION (NYS DEC)
Publication_Date: 2007
Title:
ABUNDANCE AND DISTRIBUTION INFORMATION ON
MARINE MAMMALS AND SEA TURTLES
Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE
Other_Citation_Details: N/A
Type_of_Source_Media: PERSONAL COMMUNICATION
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF COMMUNICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: M_MAMMAL INFORMATION
Source_Information:

Source_Citation:

Citation_Information:

Originator:

NYS DEPARTMENT OF STATE (DOS) AND U.S. FISH &
WILDLIFE SERVICE (USFWS)

Publication_Date: 1998

Title: MARINE TURTLES, DIAMONDBACK TERRAPIN, MUD
TURTLES, AND SEALS

Geospatial_Data_Presentation_Form: DOCUMENT

Other_Citation_Details:

SOUTH SHORE ESTUARY RESERVE COUNCIL
TECHNICAL REPORT SERIES, SOUTHERN NEW
ENGLAND-NEW YORK BIGHT COASTAL ECOSYSTEMS
PROGRAM

Type_of_Source_Media: ONLINE

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 1998

Source_Currentness_Reference: DATE OF PUBLICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: ROBERT DIGIOVANNI, RIVERHEAD FOUNDATION

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION INFORMATION FOR
MARINE MAMMALS AND SEA TURTLES

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: M_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: WENDY FIDAO, FRIENDS OF FLAX POND

Publication_Date: 2007

Title: ABUNDANCE AND DISTRIBUTION DATA FOR REPTILES
AND MARINE MAMMALS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

*Time_Period_Information:**Single_Date/Time:**Calendar_Date:* 2007*Source_Currentness_Reference:* DATE OF COMMUNICATION*Source_Citation_Abbreviation:* NONE*Source_Contribution:* M_MAMMAL INFORMATION*Process_Step:**Process_Description:*

Two main sources of data were used to depict marine mammal distribution and seasonality for this data layer: 1) personal interviews with resource experts from the New York State Department of Environmental Conservation (NYS DEC), Riverhead Foundation, and the Coastal Research and Education Society of Long Island (CRESLI), and 2) numerous published and unpublished reports. The above digital and/or hardcopy sources were compiled by the project biologist to create the M_MAMMAL data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources are compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews are conducted to review the maps. If necessary, edits to the M_MAMMAL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903*Process_Contact:**Contact_Information:**Contact_Organization_Primary:**Contact_Organization:* NOAA, Office of Response and Restoration*Contact_Person:* Jill Petersen*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of chains

Point_and_Vector_Object_Count: 782
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Area point
Point_and_Vector_Object_Count: 781
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Complete chain
Point_and_Vector_Object_Count: 1158
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Link
Point_and_Vector_Object_Count: 160467
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 1158

Spatial_Reference_Information:*Horizontal_Coordinate_System_Definition*:*Geographic*:

Latitude_Resolution: 0.0000001
Longitude_Resolution: 0.0000001
Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927
Ellipsoid_Name: Clark 1866
Semi-major_Axis: 6378206.400000
Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:*Overview_Description*:*Entity_and_Attribute_Overview*:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, M_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of

the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: M_MAMMAL.PAT

Entity_Type_Definition:

The M_MAMMAL.PAT table contains attribute information for the vector polygons in this data set representing marine mammal distribution, haul-out sites, and concentration areas. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530400002

Range_Domain_Maximum: 0530400807

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format

BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000834

Range_Domain_Maximum: 053000875

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905"

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (4), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530100002

Range_Domain_Maximum: 0530900714

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000905*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* CONC*Attribute_Definition:*

The field CONC refers to "concentration," abundance, or density values. The field may contain counts of marine mammal individuals (XX IND) or a range of counts of individuals (XX-XX IND). In cases where no quantitative count data were available, the field may contain descriptive terms, such as "HIGH", or a concentration approximation, such as "100s" or ">100 IND". If no concentration information was available from any source, the field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SEASON_ID*Attribute_Definition:*

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* G_SOURCE*Attribute_Definition:*

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SPECIES*Entity_Type_Definition:*

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* NAME

Attribute_Definition: Species common name for the entire ESI data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC
Attribute_Definition: Species scientific name for the entire ESI data set.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT
Attribute_Definition: Major categories of biological data.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: BIRD
 Enumerated_Domain_Value_Definition: Birds
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: FISH
 Enumerated_Domain_Value_Definition: Fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: HABITAT
 Enumerated_Domain_Value_Definition: Habitats and Plants
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: INVERT
 Enumerated_Domain_Value_Definition: Invertebrates
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: M_MAMMAL
 Enumerated_Domain_Value_Definition: Marine Mammals
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: REPTILE
 Enumerated_Domain_Value_Definition: Reptiles and Amphibians
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:
 Enumerated_Domain_Value: T_MAMMAL
 Enumerated_Domain_Value_Definition: Terrestrial Mammals
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: cephalopod

Enumerated_Domain_Value_Definition: Cephalopod

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: crab

Enumerated_Domain_Value_Definition: Crab

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diadromous

Enumerated_Domain_Value_Definition: Diadromous fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: diving

Enumerated_Domain_Value_Definition: Diving bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: dolphin

Enumerated_Domain_Value_Definition: Dolphin

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_nursery

Enumerated_Domain_Value_Definition: Estuarine nursery fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: e_resident

Enumerated_Domain_Value_Definition: Estuarine resident

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: fav

Enumerated_Domain_Value_Definition: Floating aquatic vegetation

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: freshwater

Enumerated_Domain_Value_Definition: Freshwater fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: gull_tern

Enumerated_Domain_Value_Definition: Gull or tern

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: insect

Enumerated_Domain_Value_Definition: Insect

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: lobster

Enumerated_Domain_Value_Definition: Lobster

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_benthic

Enumerated_Domain_Value_Definition: Marine benthic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: m_pelagic

Enumerated_Domain_Value_Definition: Marine pelagic fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: passerine

Enumerated_Domain_Value_Definition: Passerine bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pelagic

Enumerated_Domain_Value_Definition: Pelagic bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: pinniped

Enumerated_Domain_Value_Definition: Pinniped

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: plant

Enumerated_Domain_Value_Definition: Plant

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* raptor*Enumerated_Domain_Value_Definition:* Raptor*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sav*Enumerated_Domain_Value_Definition:* Submerged aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shorebird*Enumerated_Domain_Value_Definition:* Shorebird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* shrimp*Enumerated_Domain_Value_Definition:* Shrimp*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* sm_mammal*Enumerated_Domain_Value_Definition:* Small mammal*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* turtle*Enumerated_Domain_Value_Definition:* Turtle*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* upland*Enumerated_Domain_Value_Definition:* Upland*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* wading*Enumerated_Domain_Value_Definition:* Wading bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* waterfowl*Enumerated_Domain_Value_Definition:* Waterfowl*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* wetland*Enumerated_Domain_Value_Definition:* Wetland*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:*

*Enumerated_Domain:**Enumerated_Domain_Value:* whale*Enumerated_Domain_Value_Definition:* Whale*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NHP*Attribute_Definition:* Natural Heritage Program global ranking.*Attribute_Definition_Source:* Network of Natural Heritage Program*Attribute_Domain_Values:**Codeset_Domain:**Codeset_Name:* NHP Global Conservation Status Rank*Codeset_Source:* Natural Heritage Program*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:* Date of NHP listing.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* 0*Enumerated_Domain_Value_Definition:* Date unspecified*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SEASONAL*Entity_Type_Definition:*

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT*Enumerated_Domain_Value_Definition:* Invertebrates*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* M_MAMMAL*Enumerated_Domain_Value_Definition:* Marine Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* REPTILE*Enumerated_Domain_Value_Definition:* Reptiles and Amphibians*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* T_MAMMAL*Enumerated_Domain_Value_Definition:* Terrestrial Mammals*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* SPECIES_ID*Attribute_Definition:*

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN
Attribute_Definition: June
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in June
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL
Attribute_Definition: July
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in July
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG
Attribute_Definition: August
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in August
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP
Attribute_Definition: September
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in September
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT
Attribute_Definition: October
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: X
 Enumerated_Domain_Value_Definition: Present in October
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV
Attribute_Definition: November
Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in November*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and

SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED3*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* Y*Enumerated_Domain_Value_Definition:* Life-history stage or activity present*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* BREED4*Attribute_Definition:*

Life history stage or activity type, where: if ELEMENT is "FISH" then

BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* TITLE*Attribute_Definition:* Title of source material or data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATA_FORMAT*Attribute_Definition:* The format of the source material.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.

*Attribute:**Attribute_Label:* PUBLICATION*Attribute_Definition:* Additional citation information.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* SCALE*Attribute_Definition:* Description of the source scale.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* TIME_PERIOD*Attribute_Definition:*

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* STATUS*Entity_Type_Definition:*

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* ELEMENT*Attribute_Definition:* Major categories of biological data.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* BIRD*Enumerated_Domain_Value_Definition:* Birds*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* FISH*Enumerated_Domain_Value_Definition:* Fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* HABITAT*Enumerated_Domain_Value_Definition:* Habitats and Plants*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* F_DATE*Attribute_Definition:*

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* I_DATE*Attribute_Definition:*

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE*Attribute_Definition:*

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Distribution_Information:**Distributor:**Contact_Information:**Contact_Person_Primary:*

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 12:20:33 2009

Coastal Resources Atlas: Long Island: T_MAMMAL (Terrestrial Mammal Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: T_MAMMAL (Terrestrial Mammal Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for northern river otter, mink, muskrat, and beaver for Long Island, New York. Vector polygons in this data set represent terrestrial mammal distribution. Species specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer. This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2007

Ending_Date: 2008

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 2007 to 2008 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Terrestrial Mammal

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to the exclusion of other pertinent data or information held by state or federal agencies or other

organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The Spatial_Data_Organization_Information section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, soecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above Attribute_Accuracy_Report, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A

final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of expert knowledge and available hardcopy documents on terrestrial mammal distribution. These data do not necessarily represent all terrestrial mammal occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 36, Beaver, *Castor canadensis*; 37, Muskrat, *Ondatra zibethicus*; 38, Mink, *Mustela vison*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: TIM GREEN, BROOKHAVEN NATIONAL
LABORATORY

Publication_Date: 2007

Title:

ABUNDANCE AND DISTRIBUTION DATA FOR REPTILES,
AMPHIBIANS, AND TERRESTRIAL MAMMALS ON LONG
ISLAND

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2007

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Source_Information:

Source_Citation:

Citation_Information:

Originator: TOWN OF HEMPSTEAD, DEPT OF CONSERVATION
AND WATERWAYS

Publication_Date: 2008

Title:

DISTRIBUTION AND ABUNDANCE OF BIOLOGICAL
RESOURCES IN HEMPSTEAD BAYS

Geospatial_Data_Presentation_Form: EXPERT KNOWLEDGE

Other_Citation_Details: N/A

Type_of_Source_Media: PERSONAL COMMUNICATION

Source_Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: 2008

Source_Currentness_Reference: DATE OF COMMUNICATION

Source_Citation_Abbreviation: NONE

Source_Contribution: T_MAMMAL INFORMATION

Process_Step:

Process_Description:

Two main sources of data were used to depict terrestrial mammal distribution and seasonality for this data layer: 1) personal interviews with resource experts from the Brookhaven National Laboratory, and 2) numerous published and unpublished reports. The above digital and/or hardcopy sources were compiled by the project biologist to create the T_MAMMAL data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the T_MAMMAL data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and
Restoration

Contact_Person: Jill Petersen

*Contact_Address:**Address_Type:* Physical address*Address:* 7600 Sand Point Way, N.E.*City:* Seattle*State_or_Province:* Washington*Postal_Code:* 98115-6349*Contact_Voice_Telephone:* (206) 526-6944*Contact_Facsimile_Telephone:* (206) 526-6329*Contact_Electronic_Mail_Address:* Jill.Petersen@noaa.gov*Spatial_Data_Organization_Information:**Direct_Spatial_Reference_Method:* Vector*Point_and_Vector_Object_Information:**SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* GT-polygon composed of chains*Point_and_Vector_Object_Count:* 713*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Area point*Point_and_Vector_Object_Count:* 712*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Complete chain*Point_and_Vector_Object_Count:* 861*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Link*Point_and_Vector_Object_Count:* 141939*SDTS_Terms_Description:**SDTS_Point_and_Vector_Object_Type:* Node, planar graph*Point_and_Vector_Object_Count:* 856*Spatial_Reference_Information:**Horizontal_Coordinate_System_Definition:**Geographic:**Latitude_Resolution:* 0.0000001*Longitude_Resolution:* 0.0000001*Geographic_Coordinate_Units:* Decimal degrees*Geodetic_Model:**Horizontal_Datum_Name:* North American Datum of 1927*Ellipsoid_Name:* Clark 1866*Semi-major_Axis:* 6378206.400000*Denominator_of_Flattening_Ratio:* 294.978698*Entity_and_Attribute_Information:**Overview_Description:**Entity_and_Attribute_Overview:*

In addition to the geographic data layers, six relational attribute or data tables,

BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, T_MAMMAL) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORRES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item. A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram, describing relationships between attribute tables in the ESI data structure, does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: T_MAMMAL.PAT

Entity_Type_Definition:

The T_MAMMAL.PAT table contains attribute information for the vector polygons in this data set representing terrestrial mammal distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530900002

Range_Domain_Maximum: 0530900714

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000904

Range_Domain_Maximum: 053000905

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIO_LUT

Entity_Type_Definition:

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element

number (9), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530100002

Range_Domain_Maximum: 0530900714

Detailed_Description:

Entity_Type:

Entity_Type_Label: BIORES

Entity_Type_Definition:

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000001

Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density values. No concentration data were available for terrestrial mammals, so this field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: REPTILE
 Enumerated_Domain_Value_Definition: Reptiles and Amphibians
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: T_MAMMAL
 Enumerated_Domain_Value_Definition: Terrestrial Mammals
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:
 Attribute_Label: SUBELEMENT
 Attribute_Definition: Element subgroup delineating a logical grouping of species.
 Attribute_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: amphibian
 Enumerated_Domain_Value_Definition: Amphibian
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: bivalve
 Enumerated_Domain_Value_Definition: Bivalve
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: cephalopod
 Enumerated_Domain_Value_Definition: Cephalopod
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: crab
 Enumerated_Domain_Value_Definition: Crab
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diadromous
 Enumerated_Domain_Value_Definition: Diadromous fish
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: diving
 Enumerated_Domain_Value_Definition: Diving bird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: dolphin
 Enumerated_Domain_Value_Definition: Dolphin
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
 Attribute_Domain_Values:

*Enumerated_Domain:**Enumerated_Domain_Value:* e_nursery*Enumerated_Domain_Value_Definition:* Estuarine nursery fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* e_resident*Enumerated_Domain_Value_Definition:* Estuarine resident*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* fav*Enumerated_Domain_Value_Definition:* Floating aquatic vegetation*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* freshwater*Enumerated_Domain_Value_Definition:* Freshwater fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* gull_tern*Enumerated_Domain_Value_Definition:* Gull or tern*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* insect*Enumerated_Domain_Value_Definition:* Insect*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* lobster*Enumerated_Domain_Value_Definition:* Lobster*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_benthic*Enumerated_Domain_Value_Definition:* Marine benthic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* m_pelagic*Enumerated_Domain_Value_Definition:* Marine pelagic fish*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* passerine*Enumerated_Domain_Value_Definition:* Passerine bird*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: pinniped
 Enumerated_Domain_Value_Definition: Pinniped
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: plant
 Enumerated_Domain_Value_Definition: Plant
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: raptor
 Enumerated_Domain_Value_Definition: Raptor
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sav
 Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shorebird
 Enumerated_Domain_Value_Definition: Shorebird
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: shrimp
 Enumerated_Domain_Value_Definition: Shrimps
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: sm_mammal
 Enumerated_Domain_Value_Definition: Small mammal
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: turtle
 Enumerated_Domain_Value_Definition: Turtle
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: upland
 Enumerated_Domain_Value_Definition: Upland
 Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
 Enumerated_Domain:
 Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wetland

Enumerated_Domain_Value_Definition: Wetland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five

characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute:**Attribute_Label:* OCT*Attribute_Definition:* October*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in October*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* NOV*Attribute_Definition:* November*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in November*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* DEC*Attribute_Definition:* December*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* X*Enumerated_Domain_Value_Definition:* Present in December*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute:**Attribute_Label:* EL_SPE_SEA*Attribute_Definition:*

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* E#####*Enumerated_Domain_Value_Definition:*

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BREED*Entity_Type_Definition:*

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:*

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIoRES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity

not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* N*Enumerated_Domain_Value_Definition:* Life-history stage or activity not present or not reported*Enumerated_Domain_Value_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* -*Enumerated_Domain_Value_Definition:*

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.*Detailed_Description:**Entity_Type:**Entity_Type_Label:* SOURCES*Entity_Type_Definition:*

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* SOURCE_ID*Attribute_Definition:*

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 1*Range_Domain_Maximum:* N*Attribute:**Attribute_Label:* ORIGINATOR*Attribute_Definition:* Author or developer of source material or data set.*Attribute_Definition_Source:* Research Planning, Inc.*Attribute_Domain_Values:**Unrepresentable_Domain:* Acceptable values change from atlas to atlas.*Attribute:**Attribute_Label:* DATE_PUB*Attribute_Definition:*

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.*Attribute_Domain_Values:**Enumerated_Domain:**Enumerated_Domain_Value:* YYYYMM*Enumerated_Domain_Value_Definition:* YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE

Attribute_Definition: Two-letter state abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY

Attribute_Definition: Three-letter country abbreviation.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S

Attribute_Definition: State threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on state list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F

Attribute_Definition: Federal threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer-input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Generated by [mp](#) version 2.9.8 on Fri May 29 12:23:22 2009

Coastal Resources Atlas: Long Island: HABITATS (Habitat Polygons)

Metadata also available as - [[Parseable text](#)] - [[SGML](#)] - [[XML](#)]

Metadata:

- [Identification Information](#)
- [Data Quality Information](#)
- [Spatial Data Organization Information](#)
- [Spatial Reference Information](#)
- [Entity and Attribute Information](#)
- [Distribution Information](#)
- [Metadata Reference Information](#)

Identification_Information:

Citation:

Citation_Information:

Originator:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Publication_Date: 200903

Title:

Coastal Resources Atlas: Long Island: HABITATS (Habitat Polygons)

Edition: First

Geospatial_Data_Presentation_Form: Vector digital data

Series_Information:

Series_Name: NONE

Issue_Identification: Long Island, New York

Publication_Information:

Publication_Place: Seattle, Washington

Publisher:

National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington.

Other_Citation_Details:

Prepared by Research Planning, Inc., Columbia, South Carolina for the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Description:

Abstract:

This data set contains sensitive biological resource data for sensitive/rare coastal

plants and submerged aquatic vegetation (SAV) for Long Island, New York. Vector polygons in this data set represent sensitive/rare coastal plants recognized by the Natural Heritage Program (NHP) and eelgrass distribution. Species-specific abundance, seasonality, status, life history, and source information are stored in relational data tables (described below) designed to be used in conjunction with this spatial data layer.

This data set comprises a portion of the Environmental Sensitivity Index (ESI) data for Long Island. ESI data characterize the marine and coastal environments and wildlife by their sensitivity to spilled oil. The ESI data include information for three main components: shoreline habitats, sensitive biological resources, and human-use resources.

Purpose:

The ESI data were collected, mapped, and digitized to provide environmental data for oil spill planning and response. The Clean Water Act with amendments by the Oil Pollution Act of 1990 requires response plans for immediate and effective protection of sensitive resources.

Time_Period_of_Content:

Time_Period_Information:

Range_of_Dates/Times:

Beginning_Date: 2000

Ending_Date: 2007

Currentness_Reference:

The biological data were compiled during 2007-2009. The currentness dates for the data range from 2000 to 2007 and are documented in the Lineage section.

Status:

Progress: Complete

Maintenance_and_Update_Frequency: None Scheduled

Spatial_Domain:

Bounding_Coordinates:

West_Bounding_Coordinate: 73.75000

East_Bounding_Coordinate: 71.79000

North_Bounding_Coordinate: 41.37500

South_Bounding_Coordinate: 40.50000

Keywords:

Theme:

Theme_Keyword_Thesaurus: None

Theme_Keyword: ESI

Theme_Keyword: Sensitivity maps

Theme_Keyword: Coastal resources

Theme_Keyword: Oil spill planning

Theme_Keyword: Coastal Zone Management

Theme_Keyword: Wildlife

Theme_Keyword: Habitats

Place:

Place_Keyword_Thesaurus: None

Place_Keyword: Long Island

Place_Keyword: New York

Access_Constraints: None

Use_Constraints:

DO NOT USE MAPS FOR NAVIGATIONAL PURPOSES. Besides the above warning, there are no use constraints on these data. Note that the ESI database should not be used to

the exclusion of other pertinent data or information held by state or federal agencies or other organizations. Likewise, information contained in the database cannot be used in place of consultations with environmental, natural resource, and cultural resource agencies, or in place of field surveys. Recognize that the information contained in the ESI database represents known concentration areas or occurrences of natural, cultural, and human-use resources, but does not necessarily represent the full distribution or range of each species or resource. This is particularly important to recognize when considering potential impacts to protected resources, such as endangered species, wetlands, etc. Acknowledgment of the originators, publishers, contributors, and sources listed would be appreciated in products derived from these data.

Browse_Graphic:

Browse_Graphic_File_Name: datafig.jpg

Browse_Graphic_File_Description:

Depicts the relationships between spatial data layers and attribute data tables for the Long Island ESI data.

Browse_Graphic_File_Type: JPEG

Data_Set_Credit:

This project was supported by the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service, Office of Response and Restoration, Emergency Response Division, Seattle, Washington and Department of Homeland Security, U.S. Coast Guard, Office of Incident Management and Preparedness, Washington, D.C.

Native_Data_Set_Environment:

The software packages used to develop the atlas are Environmental Systems Research Institute's ARC/INFO® (version 9.2) and SQL SERVER® (version 2000). The hardware configuration is PCs with Windows Operating System (2000/XP/2003). The *Spatial_Data_Organization_Information* section refers only to the source files in the ARC export format. The following files are included in that data set: birds.e00, esi.e00, fish.e00, habitats.e00, hydro.e00, index.e00, invert.e00, m_mammal.e00, mgt.e00, reptiles.e00, soecon.e00, t_mammal.e00. Associated relational and desktop data tables provided in Arc export and text format are bio_lut, biofile, biores, breed, breed_dt, seasonal, soc_dat, soc_lut, sources, species, and status.

Data_Quality_Information:

Attribute_Accuracy:

Attribute_Accuracy_Report:

A multi-stage error checking process is used to verify both attribute accuracy and logical consistency throughout data production. The process includes a standardized data entry methodology, hardcopy data review by in-house and external resource experts, a final Quality Assurance/Quality Control (QA/QC) process, and multiple automated logical consistency checks. Quantitative data (such as densities, counts, abundances, or concentrations) provided by resource experts for inclusion in the data set may vary widely in attribute accuracy, depending upon the methodology used to collect and compile such data. For a more detailed evaluation of source data attribute accuracy, contact the sources listed in the Lineage section.

Logical_Consistency_Report:

A multi-stage error checking process, described in the above *Attribute_Accuracy_Report*, is used to verify both attribute accuracy and logical consistency throughout data production. This process includes multiple automated logical consistency checks that test the files for missing or duplicate data, rules for proper coding, GIS topological consistencies (such as

dangles, unnecessary nodes, etc.), and SQL SERVER® to ARC/INFO® consistencies. A final review is made by the GIS manager, where the data are written to CD-ROM and the metadata are written. After the data are delivered to NOAA, they are again subjected to a number of quality and consistency checks. In the process of checking for topological and database consistencies, new IDs and RARNUMs or HUNUMs are also generated. The new IDs are a combination of atlas number, element number, and record number. In addition, the value used to represent the element is modified to reflect the type of feature being mapped. In the case of an element that is normally represented by a point or polygon, a value of 20 is added to the standard element value for mapping of linear features. In the case where an element usually mapped as a polygon is represented by a point, a value of 30 is added to the regular element value. The RARNUMs are also modified to include the atlas number, so multiple atlases can be combined and RARNUMs remain unique. RARNUMs are redefined on an element basis, so "resource at risk" groupings will contain only a single element. HUNUMs are also modified to include the atlas number.

Completeness_Report:

These data represent a synthesis of digital data on rare/sensitive coastal plants and eelgrass distribution. These data do not necessarily represent all habitats occurrences in Long Island. The following species are included in this data set: (Species_ID, Common Name, Scientific Name [n/a if not applicable]): 40, Silverweed, *Potentilla anserina*; 41, Scirpus-like rush, *Juncus scirpoides*; 51, Spotted pondweed, *Potamogeton pulcher*; 145, Seabeach amaranth, *Amaranthus pumilus*; 163, Green parrot's feather, *Myriophyllum pinnatum*; 165, Featherfoil, *Hottonia inflata*; 176, Minute duckweed, *Lemna perpusilla*; 183, Red pigweed, *Chenopodium rubrum*; 187, Seabeach knotweed, *Polygonum glaucum*; 206, Saltmarsh spikerush, *Eleocharis halophila*; 214, Rare plant, n/a; 268, Seaside bulrush, *Schoenoplectus maritimus*; 318, Sandplain gerardia, *Agalinis acuta*; 319, Bushy rockrose, *Helianthemum dumosum*; 502, Northern gamma grass, *Tripsacum dactyloides*; 503, Sea pink, *Sabatia stellaris*; 609, Submerged aquatic vegetation, n/a; 627, Long's bittercress, *Cardamine longii*; 628, Marsh straw sedge, *Carex hormathodes*; 630, Eastern grasswort, *Lilaeopsis chinensis*; 648, Swamp cottonwood, *Populus heterophylla*; 649, Terrestrial starwort, *Callitriche terrestris*; 651, Water pygmyweed, *Crassula aquatica*; 653, Yellow flatsedge, *Cyperus flavescens*; 678, Darkgreen sedge, *Carex venusta*; 680, Dwarf glasswort, *Salicornia bigelovii*; 697, False China-root, *Smilax pseudochina*; 707, Salt-meadow grass, *Leptochloa fusca* ssp. *Fascicularis*; 709, Lance-leaved loosestrife, *Lysimachia hybrida*; 712, Mitchell's sedge, *Carex mitchelliana*; 733, Saltmarsh bulrush, *Schoenoplectus novae-angliae*; 740, Sea purslane, *Sesuvium maritimum*; 747, Slender blue flag, *Iris prismatica*; 760, Straw sedge, *Carex straminea*; 853, Seaside goldenrod, *Solidago sempervirens* var. *mexicana*; 854, Bead pinweed, *Lechea pulchella* var. *moniliformis*; 855, Scotch lovage, *Ligusticum scoticum* ssp. *Scoticum*; 856, Yellow giant hyssop, *Agastache nepetoides*; 857, Cattail sedge, *Carex typhina*; 858, Fibrous bladderwort, *Utricularia striata*; 859, Slender spikerush, *Eleocharis tenuis* var. *pseudoptera*; 869, Angled spikerush, *Eleocharis quadrangulata*; 870, Atlantic white cedar, *Chamaecyparis thyoides*; 871, Blunt mountain-mint, *Pycnanthemum muticum*; 872, Button sedge, *Carex bullata*; 873, Carolina clubmoss, *Lycopodiella caroliniana* var. *caroliniana*; 874, Clustered bluets, *Oldenlandia uniflora*; 875, Coast flatsedge, *Cyperus polystachyos* var. *texensis*; 876, Coastal goldenrod, *Solidago latissimifolia*; 877, Collins' sedge, *Carex collinsii*; 878, Creeping spikerush, *Eleocharis fallax*; 879, Doubtful toad-rush, *Juncus ambiguus*; 880, Dune sandspur, *Cenchrus tribuloides*; 881, Dwarf bulrush, *Lipocarpa micrantha*; 882, Engelmann's spikerush, *Eleocharis engelmannii*; 883, Field beadgrass, *Paspalum laeve*; 884, Fireweed, *Erechtites hieraciifolia* var. *megalocarpa*; 885, Fringed boneset, *Eupatorium hyssopifolium* var. *laciniatum*; 886, Golden dock, *Rumex maritimus*; 887, Heart sorrel, *Rumex hastatulus*; 888, Large calyx goosefoot, *Chenopodium berlandieri* var. *macrocalycium*; 889, Large grass-leaved rush, *Juncus biflorus*; 890, Late

boneset, *Eupatorium serotinum*; 891, Long-tubercled spikerush, *Eleocharis tuberculosa*; 892, Marsh fimbry, *Fimbristylis castanea*; 893, Michaux's blue-eyed-grass, *Sisyrinchium mucronatum*; 894, Midland sedge, *Carex mesochorea*; 895, Nantucket juneberry, *Amelanchier nantucketensis*; 896, Narrow-leaf sea-blite, *Suaeda linearis*; 897, Northern blazing-star, *Liatris scariosa* var. *novae-angliae*; 898, Oakes' evening primrose, *Oenothera oakesiana*; 899, Opelousa smartweed, *Polygonum hydropiperoides*; 900, Possumhaw, *Viburnum nudum* L. var. *nudum*; 901, Primrose-leaf violet, *Viola x primulifolia*; 902, Purple everlasting, *Gamochaeta purpurea*; 903, Retorse flatsedge, *Cyperus retrorsus* var. *retrorsus*; 904, Roland's seablite, *Suaeda rolandii*; 905, Rough rush-grass, *Sporobolus clandestinus*; 906, Saltmarsh aster, *Symphotrichum subulatum* var. *subulatum*; 907, Saltmarsh loosestrife, *Lythrum lineare*; 908, Sandplain wild flax, *Linum intercursum*; 909, Screw-stem, *Bartonia paniculata* ssp. *Paniculata*; 910, Seacoast angelica, *Angelica lucida*; 911, Seaside orach, *Atriplex glabriuscula*; 912, Seaside plantain, *Plantago maritima* var. *juncooides*; 913, Serrate round-leaf boneset, *Eupatorium rotundifolium* var. *ovatum*; 914, Slender crabgrass, *Digitaria filiformis*; 915, Slender marsh-pink, *Sabatia campanulata*; 916, Slender spikegrass, *Chasmanthium laxum*; 917, Small floating bladderwort, *Utricularia radiata*; 918, Small-flowered pearlwort, *Sagina decumbens* ssp. *decumbens*; 919, Small's knotweed, *Polygonum aviculare* ssp. *buxiforme*; 920, Southern arrowwood, *Viburnum dentatum* var. *venosum*; 921, St. Andrew's cross, *Hypericum hypericoides* ssp. *multicaule*; 922, Swamp sunflower, *Helianthus angustifolius*; 923, Sweetbay, *Magnolia virginiana*; 924, Velvety bush-clover, *Lespedeza stuevei*; 925, Whip nutrush, *Scleria triglomerata*; 926, White boneset, *Eupatorium album* var. *subvenosum*; 927, White milkweed, *Asclepias variegata*; 928, Whorled mountainmint, *Pycnanthemum verticillatum* var. *verticillatum*; 929, Whorled-pennywort, *Hydrocotyle verticillata*.

Positional_Accuracy:

Horizontal_Positional_Accuracy:

Horizontal_Positional_Accuracy_Report:

Spatial components for the biological data layers can come from expert interviews, hardcopy, or digital sources. Some of the spatial components of the biological data layers may have been developed using regional experts who estimate concentration areas. It is difficult to estimate the positional accuracy of such data, except to state that they are compiled on hardcopy base maps with a scale of 1:24,000. Some of the spatial components of the biological data sets are developed from pre-existing digital or hardcopy sources and reflect the positional accuracy of these original data. See the Lineage and Process_Description sections for more information on the original data source and how these data were integrated or manipulated to create the final data set. Note that biological resource data by their very nature are considered "fuzzy", and this should be understood when considering the positional accuracy of vector digital objects representing these resources.

Lineage:

Source_Information:

Source_Citation:

Citation_Information:

Originator: FIRE ISLAND NATIONAL PARK SERVICE

Publication_Date: 2005

Title: FIIS_SAV_Quickbird

Geospatial_Data_Presentation_Form: RASTER DIGITAL DATA

Other_Citation_Details: UNPUBLISHED

Source_Scale_Denominator: 24,000

Type_of_Source_Media: hard drive

Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2004
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: GREENHORN AND O'MARA
Publication_Date: 2003
Title: LONG ISLAND BENTHIC HABITAT (FINAL_POLY)
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEPT. OF STATE, ALBANY, NY

Source_Scale_Denominator: 24,000
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2002
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator:
 NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL
 CONSERVATION (NYS DEC)
Publication_Date: 2007
Title: NHP SPECIES 07
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY

Source_Scale_Denominator: 24,000
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Source_Information:
Source_Citation:
Citation_Information:
Originator: NYS DEC
Publication_Date: 2007
Title: NHP LOW PRECISION SPECIES 07
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details: NYS DEC, ALBANY, NY

Source_Scale_Denominator: 24,000
Type_of_Source_Media: EMAIL
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2007
Source_Currentness_Reference: DATE OF PUBLICATION
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:
Citation_Information:
Originator: U.S. FISH AND WILDLIFE SERVICE
Publication_Date: 2003
Title: SAV - PECONIC ESTUARY PROGRAM
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
USFWS, NORTHEAST REGION, NATIONAL WETLANDS
INVENTORY, HADLEY, MA

Source_Scale_Denominator: 24,000
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2000
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Source_Information:

Source_Citation:
Citation_Information:
Originator: U.S. FISH AND WILDLIFE SERVICE
Publication_Date: 2006
Title: SAV-LONG ISLAND SOUND
Geospatial_Data_Presentation_Form: VECTOR DIGITAL DATA
Other_Citation_Details:
USFWS, NATIONAL WETLANDS INVENTORY PROGRAM,
NORTHEAST REGION, HADLEY, MA

Source_Scale_Denominator: 20,000
Type_of_Source_Media: CD-ROM
Source_Time_Period_of_Content:
Time_Period_Information:
Single_Date/Time:
Calendar_Date: 2006
Source_Currentness_Reference: DATE OF SURVEY
Source_Citation_Abbreviation: NONE
Source_Contribution: HABITATS INFORMATION

Process_Step:

Process_Description:
Two main sources of data were used to depict habitat distribution and seasonality for this data layer: 1) digital data depicting rare/sensitive coastal

plants provided by the New York State Natural Heritage Program (NYS NHP) and 2) digital data depicting eelgrass provided by National Park Service (NPS) Fire Island National Seashore, South Shore Estuary Reserve, Peconic Estuary Reserve, and U.S. Fish and Wildlife Service (USFWS) Long Island Sound. The above digital and/or hardcopy sources were compiled by the project biologist to create the HABITATS data layer. Depending on the type of source data, three general approaches are used for compiling a biology data layer: 1) information gathered during initial interviews and from hardcopy sources is compiled onto U.S. Geological Survey 1:24,000 topographic quadrangles and digitized; 2) hardcopy maps are digitized at their source scale; and/or 3) digital data layers are evaluated and used "as is" or integrated with the hardcopy data sources. See the Lineage section for additional information on the type of source data for this data layer. The compiled ESI, biology, and human-use data are plotted onto hardcopy draft maps. Following the delivery of draft maps to the participating resource experts, a second set of interviews is conducted to review the maps. If necessary, edits to the HABITATS data layer are made based on the recommendations of the resource experts, and final hardcopy maps and digital data are created.

Process_Date: 200903

Process_Contact:

Contact_Information:

Contact_Organization_Primary:

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Person: Jill Petersen

Contact_Address:

Address_Type: Physical address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov

Spatial_Data_Organization_Information:

Direct_Spatial_Reference_Method: Vector

Point_and_Vector_Object_Information:

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: GT-polygon composed of chains

Point_and_Vector_Object_Count: 8729

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Area point

Point_and_Vector_Object_Count: 8728

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Complete chain

Point_and_Vector_Object_Count: 8771

SDTS_Terms_Description:

SDTS_Point_and_Vector_Object_Type: Link

Point_and_Vector_Object_Count: 441705
SDTS_Terms_Description:
SDTS_Point_and_Vector_Object_Type: Node, planar graph
Point_and_Vector_Object_Count: 7880

Spatial_Reference_Information:

Horizontal_Coordinate_System_Definition:

Geographic:

Latitude_Resolution: 0.0000001

Longitude_Resolution: 0.0000001

Geographic_Coordinate_Units: Decimal degrees

Geodetic_Model:

Horizontal_Datum_Name: North American Datum of 1927

Ellipsoid_Name: Clark 1866

Semi-major_Axis: 6378206.400000

Denominator_of_Flattening_Ratio: 294.978698

Entity_and_Attribute_Information:

Overview_Description:

Entity_and_Attribute_Overview:

In addition to the geographic data layers, six relational attribute or data tables, BIORES, BREED, SEASONAL, SOURCES, SPECIES, and STATUS, are used to store the complex biological data in the ESI data structure. The geographic data layer containing biological resource information (in this case, HABITATS) is linked to the Biological Resources table (BIORES) using the unique ID and the lookup table BIO_LUT, or it can be linked directly using RARNUM. The ID is a unique combination of the atlas number (for the Long Island atlas, the number is 53), an element/layer specific number (BIRDS are layer 1, FISH are layer 2, etc.), and a unique record number. The RARNUM represents a unique combination of species, seasonalities, concentrations, and source information. For each of these groupings, a number is generated. That number is concatenated with the atlas number to create a "resource at risk" number that is unique across atlases. BIORES and the other relational data tables are described below in detail. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way these tables relate to the geographic data layers and other attribute tables in the ESI data structure.

Due to the complexity of the relational database model, the data items are also post-processed into a flat file format. This table, called BIOFILE, may be used in place of the relational files described below to ease simple data queries. The items in the flat file are ELEMENT, SUBELEMENT, NAME, GEN_SPEC, S, F, NHP, DATE_PUB, CONC, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DEC, BREED1, BREED2, BREED3, BREED4, BREED5, RARNUM, G_SOURCE, S_SOURCE, and BREED. All of these items are the same as their counterparts in the individual data tables described below, except the BREED1-BREED5 and BREED items. BREED is a newly generated variable used to link to the BREED_DT data table, a modified, more compact version of the relational BREED data table. BREED1-BREED5 give a text summary of when each life stage occurs within the

associated map object. The life stages referred to are the same as those listed in the Detailed_Description of the BREED data table. The link to the BIOFILE may be made through the BIO_LUT, using ID to link to RARNUM, or BIOFILE may be linked directly to the RARNUM in each of the geographic layer's attribute data tables. As mentioned, BREED_DT is an auxiliary support data table to the flat file structure, which allows the user to do searches based on month for seasonal breeding activities. The link from the flat file to BREED_DT is the BREED item.

A second supporting data table is SOURCES. This is the same as the source file described above, and the link from the flat file is both G_SOURCE and S_SOURCE. It should be noted that although the flat file eases data query, it is not a normalized database structure, and actual updates performed by the states and other responsible agencies should be done using the relational data tables. The entity-relationship diagram describing relationships between attribute tables in the ESI data structure does NOT include the BIOFILE data table, and this data table is NOT described in detail below.

Detailed_Description:

Entity_Type:

Entity_Type_Label: HABITATS.PAT

Entity_Type_Definition:

The HABITATS.PAT table contains attribute information for the vector polygons in this data set representing sensitive/rare coastal plants recognized by the Natural Heritage Program and eelgrass distribution. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the relationships between attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ID

Attribute_Definition:

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 0530300002

Range_Domain_Maximum: 0530306451

Attribute:

Attribute_Label: RARNUM

Attribute_Definition:

An identifier that links directly to the BIORES table or the flat format BIOFILE table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 053000676

Range_Domain_Maximum: 053000784

Detailed_Description:

*Entity_Type:**Entity_Type_Label:* BIO_LUT*Entity_Type_Definition:*

The data table BIO_LUT is a lookup table that contains items necessary for linking vector objects in the biological data layers with the BIORES data table. Note that all attribute information is stored in a series of relational files, described below. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIO_LUT data table to records in the BIORES data table or the flat format BIOFILE data table. RARNUM values of 0 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 053000001*Range_Domain_Maximum:* 053000905*Attribute:**Attribute_Label:* ID*Attribute_Definition:*

An identifier that links vector objects in the biology data layers to records in the BIO_LUT data table. ID is a concatenation of atlas number (53), element number (3), and record number. ID values of 9999 are holes in polygons and do not contain information.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:**Range_Domain_Minimum:* 0530100002*Range_Domain_Maximum:* 0530900714*Detailed_Description:**Entity_Type:**Entity_Type_Label:* BIORES*Entity_Type_Definition:*

The data table BIORES contains both biological attribute data and items necessary for linking vector objects in the biological data layers via the BIO_LUT data table to other associated data tables. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.*Attribute:**Attribute_Label:* RARNUM*Attribute_Definition:*

An identifier that links records in the BIORES data table to records in the BIO_LUT data table or the flat format BIOFILE data table.

Attribute_Definition_Source: NOAA*Attribute_Domain_Values:**Range_Domain:*

Range_Domain_Minimum: 053000001
Range_Domain_Maximum: 053000905

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: CONC

Attribute_Definition:

The field CONC refers to "concentration," abundance, or density value of a habitat at a particular location. No quantitative or qualitative information on concentrations of eelgrass or coastal plants was available, so this field is populated with "-".

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: G_SOURCE

Attribute_Definition:

Geographic source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: S_SOURCE

Attribute_Definition:

Seasonality source identifier that links records in the BIORES data table to records in the SOURCES data table.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the BIORES data table to records in the SPECIES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five

characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BIORES data table to records in the SEASONAL and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SPECIES

Entity_Type_Definition:

The data table SPECIES identifies all species in the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure. Refer to the Completeness_Report for a list of layer-specific species.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: NAME

Attribute_Definition: Species common name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: GEN_SPEC

Attribute_Definition: Species scientific name for the entire ESI data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SUBELEMENT

Attribute_Definition: Element subgroup delineating a logical grouping of species.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: amphibian

Enumerated_Domain_Value_Definition: Amphibian

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: bivalve

Enumerated_Domain_Value_Definition: Bivalve

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: cephalopod
Enumerated_Domain_Value_Definition: Cephalopod
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: crab
Enumerated_Domain_Value_Definition: Crab
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diadromous
Enumerated_Domain_Value_Definition: Diadromous fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: diving
Enumerated_Domain_Value_Definition: Diving bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: dolphin
Enumerated_Domain_Value_Definition: Dolphin
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_nursery
Enumerated_Domain_Value_Definition: Estuarine nursery fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: e_resident
Enumerated_Domain_Value_Definition: Estuarine resident
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: fav
Enumerated_Domain_Value_Definition: Floating aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: freshwater
Enumerated_Domain_Value_Definition: Freshwater fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: gull_tern
Enumerated_Domain_Value_Definition: Gull or tern
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: insect
Enumerated_Domain_Value_Definition: Insect
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: lobster
Enumerated_Domain_Value_Definition: Lobster
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_benthic
Enumerated_Domain_Value_Definition: Marine benthic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: m_pelagic
Enumerated_Domain_Value_Definition: Marine pelagic fish
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: passerine
Enumerated_Domain_Value_Definition: Passerine bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pelagic
Enumerated_Domain_Value_Definition: Pelagic bird
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: pinniped
Enumerated_Domain_Value_Definition: Pinniped
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: plant
Enumerated_Domain_Value_Definition: Plant
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: raptor
Enumerated_Domain_Value_Definition: Raptor
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: sav
Enumerated_Domain_Value_Definition: Submerged aquatic vegetation
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shorebird

Enumerated_Domain_Value_Definition: Shorebird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: shrimp

Enumerated_Domain_Value_Definition: Shrimp

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: sm_mammal

Enumerated_Domain_Value_Definition: Small mammal

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: turtle

Enumerated_Domain_Value_Definition: Turtle

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: upland

Enumerated_Domain_Value_Definition: Upland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wading

Enumerated_Domain_Value_Definition: Wading bird

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: waterfowl

Enumerated_Domain_Value_Definition: Waterfowl

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: wetland

Enumerated_Domain_Value_Definition: Wetland

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: whale

Enumerated_Domain_Value_Definition: Whale

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NHP

Attribute_Definition: Natural Heritage Program global ranking.

Attribute_Definition_Source: Network of Natural Heritage Program

Attribute_Domain_Values:

Codeset_Domain:

Codeset_Name: NHP Global Conservation Status Rank

Codeset_Source: Natural Heritage Program

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition: Date of NHP listing.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: 0

Enumerated_Domain_Value_Definition: Date unspecified

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links records in the SPECIES data table to records in the BIORES and STATUS data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SEASONAL

Entity_Type_Definition:

The data table SEASONAL contains information on the seasonal presence of each species associated with each spatial vector object. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T_MAMMAL

Enumerated_Domain_Value_Definition: Terrestrial Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID

Attribute_Definition:

Numeric identifier for each species that is unique within each element and refers to a nationwide ESI species list maintained at NOAA.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: SEASON_ID

Attribute_Definition:

Numeric identifier for the unique monthly presence and life history characteristics of each species at a given location.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: JAN

Attribute_Definition: January

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in January

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: FEB

Attribute_Definition: February

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in February

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAR

Attribute_Definition: March

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in March

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: APR

Attribute_Definition: April

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in April

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MAY

Attribute_Definition: May

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in May

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUN

Attribute_Definition: June

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in June

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: JUL

Attribute_Definition: July

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in July

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: AUG

Attribute_Definition: August

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in August

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SEP

Attribute_Definition: September

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in September

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: OCT

Attribute_Definition: October

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in October

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: NOV

Attribute_Definition: November

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in November

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: DEC

Attribute_Definition: December

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: X

Enumerated_Domain_Value_Definition: Present in December

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the SEASONAL data table to records in the BIORES and BREED data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: BREED

Entity_Type_Definition:

The data table BREED identifies the monthly presence of certain life-history stages or activities for each species at a given location.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE_SEA

Attribute_Definition:

Concatenation of ELEMENT, SPECIES_ID, and SEASON_ID. This item links records in the BREED data table to records in the BIORES and SEASONAL data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT, the next five characters are SPECIES_ID, and the last two characters are SEASON_ID (e.g. ELEMENT = 'BIRD', SPECIES_ID = 1 and SEASON_ID = 1; EL_SPE_SEA = 'B0000101').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: MONTH

Attribute_Definition:

Two-digit calendar month. Each life history stage or activity type for a particular species can have up to 12 records to account for each month of the year.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1
Range_Domain_Maximum: 12

Attribute:

Attribute_Label: BREED1

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED1 = nesting; if ELEMENT is "FISH" then BREED1 = spawning; if ELEMENT is "INVERT" then BREED1 = spawning; if ELEMENT is "REPTILE" then BREED1 = nesting; if ELEMENT is "M_MAMMAL" then BREED1 = mating. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED2

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED2 = migrating; if ELEMENT is "FISH" then BREED2 = eggs; if ELEMENT is "INVERT" then BREED2 = eggs; if ELEMENT is "REPTILE" then BREED2 = hatching; if ELEMENT is "M_MAMMAL" then BREED2 = calving. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

*Attribute_Domain_Values:**Enumerated_Domain:*

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED3

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "BIRD" then BREED3 = molting; if ELEMENT is "FISH" then BREED3 = larvae; if ELEMENT is "INVERT" then BREED3 = larvae; if ELEMENT is "REPTILE" then BREED3 = interesting; if ELEMENT is "M_MAMMAL" then BREED3 = pupping. This attribute is not used for HABITAT or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED4

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED4 = juveniles; if ELEMENT is "INVERT" then BREED4 = juveniles; if ELEMENT is "REPTILE" then BREED4 = juveniles; if ELEMENT is "M_MAMMAL" then BREED4 = molting. This attribute is not used for BIRD, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: BREED5

Attribute_Definition:

Life history stage or activity type, where: if ELEMENT is "FISH" then BREED5 = adults; if ELEMENT is "INVERT" then BREED5 = adults; if ELEMENT is "REPTILE" then BREED5 = adults. This attribute is not used for BIRD, M_MAMMAL, HABITAT, or T_MAMMAL elements.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: Y

Enumerated_Domain_Value_Definition: Life-history stage or activity present

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: N

Enumerated_Domain_Value_Definition: Life-history stage or activity not present or not reported

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: -

Enumerated_Domain_Value_Definition:

Breed category not used or not appropriate for record(s) in question

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Detailed_Description:

Entity_Type:

Entity_Type_Label: SOURCES

Entity_Type_Definition:

The data table SOURCES contains the primary sources used to create the ESI data set. See the Browse_Graphic section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SOURCE_ID

Attribute_Definition:

Source identifier that links records in the SOURCES data table to the items G_SOURCE and A_SOURCE in the SOC_DAT table; G_SOURCE and S_SOURCE in the BIORES table; and SOURCE_ID in the ESI and HYDRO data layers.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Range_Domain:

Range_Domain_Minimum: 1

Range_Domain_Maximum: N

Attribute:

Attribute_Label: ORIGINATOR

Attribute_Definition: Author or developer of source material or data set.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATE_PUB

Attribute_Definition:

Date of source material, publication, or date of personal communication with expert source.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: TITLE

Attribute_Definition: Title of source material or data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: DATA_FORMAT

Attribute_Definition: The format of the source material.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: PUBLICATION

Attribute_Definition: Additional citation information.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: SCALE

Attribute_Definition: Description of the source scale.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: TIME_PERIOD

Attribute_Definition:

Date(s) of data collection that the source material is based upon.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Detailed_Description:

Entity_Type:

Entity_Type_Label: STATUS

Entity_Type_Definition:

The data table STATUS identifies the species that are listed as either threatened or endangered by a state, federal, or international authority. See the *Browse_Graphic* section for a link to the entity-relationship diagram, which describes the way this table relates to other attribute tables in the ESI data structure.

Entity_Type_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: ELEMENT

Attribute_Definition: Major categories of biological data.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: BIRD

Enumerated_Domain_Value_Definition: Birds

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: FISH

Enumerated_Domain_Value_Definition: Fish

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: HABITAT

Enumerated_Domain_Value_Definition: Habitats and Plants

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: INVERT

Enumerated_Domain_Value_Definition: Invertebrates

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: M_MAMMAL

Enumerated_Domain_Value_Definition: Marine Mammals

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: REPTILE

Enumerated_Domain_Value_Definition: Reptiles and Amphibians

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T_MAMMAL
Enumerated_Domain_Value_Definition: Terrestrial Mammals
Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: SPECIES_ID
Attribute_Definition:
 Numeric identifier for each species that is unique within each element and refers to a nationwide master ESI species list maintained at NOAA.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Range_Domain:
Range_Domain_Minimum: 1
Range_Domain_Maximum: N

Attribute:

Attribute_Label: STATE
Attribute_Definition: Two-letter state abbreviation.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: COUNTRY
Attribute_Definition: Three-letter country abbreviation.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Unrepresentable_Domain: Acceptable values change from atlas to atlas.

Attribute:

Attribute_Label: S
Attribute_Definition: State threatened or endangered status.
Attribute_Definition_Source: Research Planning, Inc.
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: E
Enumerated_Domain_Value_Definition: Endangered on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: T
Enumerated_Domain_Value_Definition: Threatened on state list
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines
Attribute_Domain_Values:
Enumerated_Domain:
Enumerated_Domain_Value: C
Enumerated_Domain_Value_Definition: Species of Special Concern
Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: F
Attribute_Definition: Federal threatened or endangered status.
Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on federal list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: I

Attribute_Definition: International threatened or endangered status.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E

Enumerated_Domain_Value_Definition: Endangered on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: T

Enumerated_Domain_Value_Definition: Threatened on international list

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: C

Enumerated_Domain_Value_Definition: Species of Special Concern

Enumerated_Domain_Value_Definition_Source: NOAA ESI Guidelines

Attribute:

Attribute_Label: S_DATE

Attribute_Definition:

Publication date of source material used to assign state status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: F_DATE

Attribute_Definition:

Publication date of source material used to assign federal status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: I_DATE

Attribute_Definition:

Publication date of source material used to assign international status values for each species, if used.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: YYYYMM

Enumerated_Domain_Value_Definition: YYYY for year and optionally MM for month

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Attribute:

Attribute_Label: EL_SPE

Attribute_Definition:

Concatenation of ELEMENT and SPECIES_ID. This item links the STATUS data table to the BIORES and SPECIES data tables.

Attribute_Definition_Source: Research Planning, Inc.

Attribute_Domain_Values:

Enumerated_Domain:

Enumerated_Domain_Value: E#####

Enumerated_Domain_Value_Definition:

Where E is the first character of ELEMENT and the next five characters are SPECIES_ID (e.g. ELEMENT = 'BIRD' and SPECIES_ID = 1; EL_SPE = 'B00001').

Enumerated_Domain_Value_Definition_Source: Research Planning, Inc.

Distribution_Information:

Distributor:

Contact_Information:

Contact_Person_Primary:

Contact_Person: John Kaperick

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6400

Contact_Facsimile_Telephone: (206) 526-6329

Resource_Description: ESI Atlas for Long Island

Distribution_Liability:

Although these data have been processed successfully on a computer system at the National Oceanic and Atmospheric Administration (NOAA), no warranty, expressed or implied, is made by NOAA regarding the utility of the data on any other system, nor shall the act of distribution constitute any such warranty. NOAA warrants the delivery of this product in computer-readable format, and will offer a replacement copy of the product when the product is determined unreadable by computer input peripherals, or when the physical medium is delivered in damaged condition.

Custom_Order_Process:

Contact NOAA for distribution options (see Distributor). ESI data are processed into multiple formats to make them useful to the widest community of GIS/mapping users. Distribution formats include Geodatabase; ARC export, MOSS, and Shape files; and MARPLOT map folders. An ArcMap .mxd file, an ArcView 3.x ESI project, and an ESI_Viewer product for use with the MARPLOT data are also included on the distribution CDs/DVDs for ease of use of the ESI data. The database files are distributed both in the NOAA standard relational database format (see NOAA Technical Memorandum NOS ORCA 115) and in a simplified desktop flat file format. This metadata document includes information on both of these database formats.

Metadata_Reference_Information:

Metadata_Date: 200905

Metadata_Review_Date: 200905

Metadata_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jill Petersen

Contact_Organization: NOAA, Office of Response and Restoration

Contact_Position: GIS Manager

Contact_Address:

Address_Type: Physical Address

Address: 7600 Sand Point Way, N.E.

City: Seattle

State_or_Province: Washington

Postal_Code: 98115-6349

Contact_Voice_Telephone: (206) 526-6944

Contact_Facsimile_Telephone: (206) 526-6329

Contact_Electronic_Mail_Address: Jill.Petersen@noaa.gov


Metadata_Standard_Name: Content Standards for Digital Geospatial Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Long Island ESI

Entity Relationship Diagram for the Relational Data Tables

Relationships between spatial data layers and relational data tables



Long Island ESI

Entity Relationship Diagram for the Desktop/Flat File Approach

Relationships between spatial data layers and desktop data tables

